

BOOK OF ABSTRACTS



2nd GREENERING INTERNATIONAL conference



BioEcoUva
The Institute of Bioeconomy
of University of Valladolid

21st- 23rd March, Valladolid, SPAIN

2ND GREENERING INTERNATIONAL CONFERENCE

Valladolid (Spain), 21st to 23rd March 2023

ORGANIZERS



BioEcoUva
BIOECONOMY INSTITUTE



COST Action GREENERING
CA 18224
Green Chemical Engineering Network
towards upscaling sustainable processes

SPONSORS



INSTITUTIONAL SUPPORT



PARTNERS



Committees

Organizing Committee

Soraya Rodríguez Rojo - University of Valladolid, Spain (*Chair*)

Esther Alonso Sánchez - University of Valladolid, Spain

M^a Dolores Bermejo Roda - University of Valladolid, Spain

Christelle Crampon - Aix-Marseille University, France

Ángel Martín Martínez - University of Valladolid, Spain

Lara Pelaz Pérez - University of Valladolid, Spain

Javier Pinto Sanz - University of Valladolid, Spain

David Vega Maza - University of Valladolid, Spain

Senka Vidovic - University Novi Sad, Serbia

Scientific Committee

Athanassia Athanassiou - Istituto Italiano di Tecnologia, Italy

Cyril Aymonier - ICMCB-CNRS-University of Bordeaux, France

Albertina Cabañas - Universidad Complutense de Madrid, Spain

M^a José Cocero - University of Valladolid, Spain

Margarida Costa Gomes - École Normale Supérieure de Lyon, France

Ana R. C. Duarte - NOVA Lisboa, Portugal

João Fernandes - NATEX, Austria

Nicola Frison - University of Verona, Italy

Carlos A. García-González - Universidade de Santiago de Compostela, Spain

Ignacio Gracia - UCLM, Spain

Beatriz Gullón - Universidade de Vigo, Spain

Christoph Held - University of Dortmund, Germany

Zeljko Knez - University of Maribor, Slovenia

Leonarda Liotta - Consiglio Nazionale delle Ricerche, Italy

Ana M. López Periago - ICMAB-CSIC, Spain

Amparo López Rubio - IATA-CSIC, Spain

Ángel Martín Martínez - University of Valladolid, Spain

Francisco Martín Martínez - Swansea University, UK

Selva Pereda - PLAPIQUI-CONICET-Universidad Nacional del Sur, Argentina

Ivana Radojčić Redovniković - University of Zagreb, Croatia

George Skevis - Centre for Research and Technology Hellas, Greece

Alberto Tena - Institute for Sustainable Processes ISP-University of Valladolid, Spain

Erika Vagi - Budapest University of Technology and Economics, Hungary

IMPACT OF BIOPOLYMERS USE ON PHYSICO-CHEMICAL STABILITY OF BLUE MAIZE EXTRACT MICROENCAPSULATES

Ćujić Nikolić N.¹, Žilić S.², Mutavski Z.¹, Simić M.², Nikolić V.², Marković S.³, Šavikin K.¹

¹*Institute for Medicinal Plant Research "Dr Josif Pančić", Tadeuša Košćuška 1, 11000 Belgrade, Serbia*

²*Maize Research Institute, Group of Food Technology and Biochemistry, Slobodana Bajića 1, 11185 Belgrade (Zemun), Serbia*

³*Institute of Technical Sciences of SASA, Kneza Mihaila 35/IV, 11000 Belgrade, Serbia*

Corresponding author email: zmutavski@mocbilja.rs

Blue maize is a rich source of anthocyanins which could demonstrate many beneficial effects on human health and the prevention of various diseases associated with oxidative stress. Cereal processing could generate a large amount of anthocyanins-rich waste products. However, anthocyanins incorporation into food is a technological challenge due to their low stability. The stability of these extracted valuable bioactive compounds from harmful environmental influences (oxygen, light, water) can be preserved by the encapsulation technique, which could entrap them inside a coating material. Microencapsulation technique could improve bioavailability, mask undesirable organoleptic characteristics of polyphenols and anthocyanins, making them more usable and represented in diet foods and as nutraceuticals. Spray drying process is one of the most widely used microencapsulation technique due to its simplicity, efficiency, and low operational costs. Nowadays, the accent is on the utilization of novel carrier agents with unique properties, such as hydroxypropyl- β -cyclodextrin-(HPBCD). The aim of the present research was to develop and examine microencapsulation systems of blue maize extract using a conventional biopolymer as a maltodextrin, in combination with a novel one, HPBCD, in order to obtain powders with appropriate organoleptic and pharmacological characteristics. The waste product of blue maize processing was used for anthocyanins extraction. Liquid blue maize extract was spray dried with and without adding carrier agents: MD (30%), HPBCD (30 %), and a combination of both carriers (15% MD and 15% HPBCD). The obtained spray-dried maize extracts (SME) were analyzed by the physico-chemical powder properties, particle size, Fourier-transform infrared analysis (FTIR), and differential scanning calorimetry (DSC), in order to examine preservation of blue maize extract. The diameter of spray-dried microparticles varied from 2.22 (d_{10}) for SME+MD to 257.14 μm (d_{90}) for SME+MD+HPBCD, respectively, with the mean average diameter d_{50} ranged from 4.72 to 21.33 μm for all microencapsulated powders. The encapsulation of the blue maize extract with carriers such as MD and HPBCD did not create meaningful changes, which is according to the literature indication for a successful microencapsulation process. Therefore, spray drying process did not change the structure of the polymer matrix and extract according to the FTIR analysis, indicating that the anthocyanins microencapsulation was developed by physical incorporation. DSC analysis signified that spray drying technique developed powders with high thermal stability and up to 200°C, related to the increasing stability with the addition of biopolymer material. The used biopolymers showed a good impact on the stability of microencapsulates of blue maize extract. Additionally, HPBCD provided an improvement in the physico-chemical characteristics of the powders.

Keywords: Blue maize, Waste, Microencapsulation, Spray drying, Characterization, Functional carriers.