

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/374615220>

Biocorrosion, biofouling and health risk: biological activity reaction tests of selected brackish groundwater occurrences in Serbia

Conference Paper · January 2023

DOI: 10.46793/ICCB123.0865

CITATIONS

0

READS

8

7 authors, including:



Vladimir Šaraba

Vinča Institute of Nuclear Sciences

9 PUBLICATIONS 9 CITATIONS

[SEE PROFILE](#)



Jasmina Nikodinovic-Runic

Institute of Molecular Genetics and Genetic Engineering

229 PUBLICATIONS 3,865 CITATIONS

[SEE PROFILE](#)



Vesna B. Obradović

Institut za vodoprivredu "Jaroslav Černi"

20 PUBLICATIONS 122 CITATIONS

[SEE PROFILE](#)



Ivica Dimkić

Faculty of Biology of the University of Belgrade

102 PUBLICATIONS 1,962 CITATIONS

[SEE PROFILE](#)




28-29 September 2023,
Kragujevac, Serbia

www.iccbikg2023.kg.ac.rs

2nd International Conference on Chemo and Bioinformatics
ICCBIKG_2023



BOOK OF PROCEEDINGS





2nd International Conference on Chemo and BioInformatics
ICCBIKG 2023

BOOK OF PROCEEDINGS

September 28-29, 2023
Kragujevac, Serbia

Sponsored by



2nd International Conference on Chemo and BioInformatics, Kragujevac, September 28-29, 2023, Serbia.

Editors:

Professor Dr. Zoran Marković

Professor Dr. Nenad Filipović

Technical Editors:

Jelena Živković

Marko Antonijević

Dr. Žiko Milanović

Dr. Vladimir Simić

Proofreading:

Marijana Dimović

Publisher:

Institute for Information Technologies, University of Kragujevac, Serbia, Jovana Cvijića bb, 2023

Press:

„Grafo Ink“, Kragujevac

Impression:

120 copies

CIP - Каталогизacija y пyбликации - Народна библиотека Србије, Београд

54:004(048)(0.034.2)

57+61]:004(082)(0.034.2)

INTERNATIONAL Conference on Chemo and BioInformatics (2 ; 2023 ; Kragujevac) Book of Proceedings [Elektronski izvor] / 2nd International Conference on Chemo and BioInformatics, ICCBIKG 2023, September 28-29, 2023 Kragujevac, Serbia ; [editors Zoran Marković, Nenad Filipović]. - Kragujevac : University, Institute for Information Technologies, 2023 (Kragujevac : Grafo Ink). - 1 USB fleš memorija ; 1 x 2 x 6 cm

Sistemske zahteve: Nisu navedeni. - Nasl. sa naslovne strane dokumenta. - Tiraž 120. - Bibliografija uz svaki rad.

ISBN 978-86-82172-02-4

a) Хемија -- Информациона технологија -- Зборници b) Биомедицина -- Информациона технологија -- Зборници


COBISS.SR-ID 125908489

Organized by:

Institute for Information Technologies,
University of Kragujevac, **Organizer**



Institute of Nuclear Science,
University of Belgrade, *Suborganizer*



Faculty of Science, University of Kragujevac,
Suborganizer



The Ministry of Science,
Technological Development and
Innovation of The Republic of Serbia,
Supporting organization



Faculty of Technical Science, University of
Kragujevac, *Suborganizer*



University of Kragujevac, *Supporting organization*



State University of Novi Pazar, *Suborganizer*



Committees

International Organizing Committee:

Chairman:	Prof. Dr Zoran Marković (Serbia)
Vice-chairmans:	Prof. Miloš Kojić (USA)
	Prof. Dr. Mimoza Ristova (North Macedonia)

Members:

Dr Dejan Milenković (Serbia), Dr Marijana Petković (Serbia), Dr. Jasmina Grbović Novaković (Serbia), Prof. Dr. Aleksandar Ostojić (Serbia), Dr Jovana Sekulić (Serbia), Dr Edina Avdović (Serbia), Dr Dušica Simijonović (Serbia), Dr Tijana Geroski (Serbia), Doc. Dr Dušan Dimić (Serbia), Dr Ana Kesić (Serbia), Doc. Dr Svetlana Jeremić (Serbia), Dr Marija Ristić (Serbia), Dr Vladimir Simić (Serbia), Dr Žiko Milanović (Serbia), Marko Antonijević (Serbia).

International Scientific Committee:

Chairman:	Prof. Dr Nenad Filipović (Serbia)
Vice-chairmans:	Prof. Dr Snežana Pajović (Serbia)
	Prof. Dr Zlatan Car (Croatia)

Members:

Prof. Zoran Marković (Serbia), Prof. Ivan Gutman (Serbia), Prof. Miloš Kojić (USA), Prof. Miloš Đuran (Serbia), Prof. Nenad Kostić (USA), Prof. Ljiljana Kolar-Anić (Serbia), Prof. Svetlana Marković (Serbia), Prof. Snežana Zarić (Serbia), Prof. Marija Stanić (Serbia), Prof. Miroslav Živković (Serbia), Prof. Dr Nino Russo (Italy), Prof. Nenad Grujović (Serbia), Prof. Luciano Saso (Italy), Jasmina Dimitrić-Marković (Serbia), Prof. Dražen Vikić-Topić (Croatia), Prof. Zana Dolićanin (Serbia), Prof. Bakhtiyor Rasulev (USA), Prof. Enver Karahmet (Bosnia and Herzegovina), Prof. Themis Exarchos (Greece), Dr. Sc. Mario Vazdar (Czech Republic), Prof. Dr. Goran Kaluđerović (Germany), Prof. Dr. Jasmina Stevanović (Serbia), Prof. Dr Rudolf Bauer (Austria), Prof. Dr Slobodan Savić (Serbia), Prof. Dr. Petar Uskoković (Serbia), Prof. Dr. Danijela Milošević (Serbia), Prof Dr Janez Konc (Slovenia), Prof. Dr. Bartosz Trzaskowski (Poland), Prof. Dr Miljan Milošević (Serbia), Dr Edina Avdović (Serbia), Dr Katarina Marković (Serbia).

Local Executive Committee:

Chairman: Prof. Dr Miljan Milošević (Serbia)

Vice-chairmans: Dr Marina Kostić (Serbia)

Dr Jasmina Obradović (Serbia)

Members:

Jelena Živković (Serbia), Bogdan Milićević (Serbia), Nevena Veselinović (Serbia), Momčilo Prodanović (Serbia), Emilija Milović (Serbia), Sandra Jovičić Milić (Serbia).

Table of contents

PLENARY LECTURERS	1
THE IMPORTANCE OF CHEMOMETRICS IN DRUG DISCOVERY FROM MEDICINAL PLANTS	2
A REVIEW OF THE APPLICATION OF THE FINITE ELEMENT SMEARED CONCEPT TO BIOMEDICAL ENGINEERING PROBLEMS	6
IS DEUTERIUM BIOLOGICALLY SIGNIFICANT? SOME UNEXPECTED DEUTERIUM SPECTROSCOPIC DATA	7
TARGETING DEPRESSION VIA COMPUTATIONAL APPROACHES TO DESIGN NEW COUMARIN-BASED SEROTONIN RECEPTOR	
ANTAGONISTS/AGONISTS AND DEVELOP RELIABLE MODELS OF G PROTEIN-COUPLED RECEPTORS.....	10
ALGORITHMS AND WEB SERVERS FOR PROTEIN BINDING SITES DETECTION IN DRUG DISCOVERY	14
TOWARD QUANTITATIVE RAMAN SPECTROSCOPY	22
SYNTHETIC DATA GENERATION FOR BIOMEDICAL DEEP LEARNING: METHODS, CHALLENGES, AND OPPORTUNITIES	26
SECTION LECTURERS.....	34
BENZENE AND WATER – DIFFERENT OR SIMILAR?	35
THE HYDROGEN ECONOMY: CHALLENGES AND PROSPECTIVES	39
MULTIPARAMETER MONITORING OF CARDIOVASCULAR FUNCTION	43
DB.3D-QSAR.COM. THE FIRST 3D QSAR MODELS DATABASE.....	51
IRM@Be ²⁺ - QUANTUM CHEMISTRY BETWEEN BAVARIA AND ŠUMADIJA.....	53
APPLICATION OF CARBON-BASED NANOCOMPOSITE SYSTEMS AS PHOTOSENSITIZERS FOR PHOTODYNAMIC THERAPY.....	61
CONFUSION ABOUT THE CHOICE OF EVALUATION METRICS FOR MODEL PERFORMANCE ASSESMENT IN CHEMOINFORMATICS,	
BIOINFORMATICS AND IN GENERAL	67
HISTORY OF RADIOLOGICAL PROTECTION AND EVOLUTION OF DOSIMETRIC QUANTITIES	73
APPLIED SCIENCE AND TECHNOLOGY.....	81
ENTROPY DYNAMICS FOR A PROPELLER-SHAPED QUANTUM BROWNIAN MOLECULAR ROTATOR	82
BIOCORROSION, BIOFOULING AND HEALTH RISK: BIOLOGICAL ACTIVITY REACTION TESTS OF SELECTED BRACKISH GROUNDWATER	
OCCURRENCES IN SERBIA.....	86
BACTERIA IN DRINKING AND BATHING MINERAL WATERS OF SERBIA WITH POLYMER-DEGRADING POTENTIAL	91
MODELING AND SIMULATION OF A POLYMER OPTICAL FIBER HUMIDITY SENSOR FOR THE SKIN MICROENVIRONMENT	96
COMPARISON OF ORGANIC SUBSTANCE CONTENT IN PELOIDS FROM SUTOMORE AND IGALO (MONTENEGRO)	100
DRIFT SPECTROSCOPY AND PERMUTATION IMPORTANCE ALGORITHM IN QUANTITATIVE ANALYSIS OF ORGANIC MATTER IN SOIL MODEL	
SYSTEMS	104
THE INFLUENCE OF PYROCATECHOL ADDED IN PRE-OSCILLATORY PERIOD ON THE DYNAMICS OF THE BRAY-LIEBHAFSKY REACTION.....	108
ENVIRONMENTAL IMPLICATIONS OF FINANCIAL DEVELOPMENT IN CEE COUNTRIES.....	112
GREENHOUSE GAS EMISSIONS AND DIGITAL COMPETITIVENESS IN CEE COUNTRIES	116
ANTIFREEZE WITH COFFEE TASTE	120
THE HYDRATION AND ANTIMICROBIAL PROPERTIES OF SELECTED IMIDAZOLE-BASED IONIC LIQUIDS WITH A HOMOLOGOUS SERIES OF	
CHLORIDE OXYANIONS	124
INFLUENCE OF THE IONIC LIQUIDS-BASED ELECTROLYTES ON THE TOMATO (SOLANUM LYCOPERSICUM L.) AND CUCUMBER (CUCUMIS	
SATIVUS L.) GROWTH, DEVELOPMENT AND OXIDATIVE STRESS	128
SOLUBILITY AND STRUCTURAL ORGANIZATION OF TAURINE MOLECULES IN WATER	132
SELECTING CRITICAL FEATURES FOR BIOMEDICAL DATA CLASSIFICATION	136
THROMBOPHILIA PREDICTION USING MACHINE LEARNING ALGORITHMS	140
SIMULATION OF DNA DAMAGE USING THE “MOLECULARDNA” EXAMPLE APPLICATION OF GEANT4-DNA.....	144
DEVELOPMENT OF NANOMATERIALS FOR SUSTAINABLE FOOD PACKAGING APPLICATIONS.....	148
BIOACCUMULATION POTENTIAL OF 'MEEKER' AND 'WILLAMETTE' RASPBERRY (RUBUS IDAEUS L.) FRUITS TOWARDS MACRO- AND	
MICROELEMENTS AND THEIR NUTRITIONAL EVALUATION	152
IN VITRO AND IN SILICO ASSESSMENT OF ANTI-INFLAMMATORY ACTIVITY OF COCOA POWDERS	156

COMPARISON OF THE LUMINESCENCE PROPERTIES OF PHOSPHATE-TUNGSTEN BRONZE AND CERIU DOPED PHOSPHATE-TUNGSTEN BRONZE	160
THE COMPARISON OF TWO METHODS USED TO OBSERVE A NONLINEAR SYSTEM: POTENTIOMETRY AND HOLOGRAPHY	164
RADIOACTIVITY LEVELS AND HEALTH RISKS ASSOCIATED WITH HIMALAYAN SALT CONSUMPTION	168
PREVALENCE OF RADON AND METALS IN NATURAL SPRINGS IN THE SOKOBANJA AREA	172
INVESTIGATION OF THE POSSIBILITY OF INTERACTION BETWEEN LITHIUM FLUORIDE CLUSTERS AND BORON USING LDI MS.....	176
<i>IN VITRO</i> BIOLOGICAL EFFECTS OF CLONAL RED WINES	180
APPLIED MACHINE LEARNING IN EXPLORING KEY FEATURES OF CRAYFISH POPULATIONS	184
DOSE COMPENSATION ALGORITHM IN RADIOTHERAPY PLANNING.....	188
A PROTOCOL FOR THORACIC RADIATION THERAPY IN PATIENTS WITH CARDIAC IMPLANTABLE ELECTRONIC DEVICES.....	193
DISTRIBUTION OF DOSES TO ORGANS AT RISK IN CERVICAL CANCER HIGH DOSE RATE BRACHYTHERAPY USING TANDEM AND OVOIDS OR VAGINAL CYLINDER.....	197
ASSESSMENT OF RADIOACTIVITY LEVELS IN SOIL SAMPLES ON ZLATIBOR MOUNTAIN.....	201
INFLUENCE OF DIFFERENT PRODUCTION SYSTEMS AND TOMATO GENOTYPES ON THE	205
CHALLENGES IN RADIOTHERAPY PLANNING IN PATIENTS WITH SYNCHRONOUS RECTAL AND PROSTATE CANCER AND HIP PROSTHESIS..	209
EXPLORE THE PHARMACOKINETIC PROPERTIES OF (NH ₄) ₄ [Fe(1DADTC) ₂]: <i>IN SILICO</i> BIOLOGICAL SCREENING AND ADMET ANALYSIS	213
THE INFLUENCE OF DIFFERENT PLASTICIZERS ON THE MECHANICAL PROPERTIES OF ACTIVE EDIBLE BILAYER FILMS	217
PATCH CLAMP PIPETTE GIGA SEAL FORMING SUCCESS ON THE NANOSURGERY-OBTAINED FILAMENTOUS FUNGI PROTOPLASTS.....	221
ANALYSIS OF HEAVY METALS IN THE SOIL IN THE IBAR RIVER VALLEY IN THE DISTRICT OF KOSOVSKA MITROVICA	225
WATER QUALITY ANALYSIS IN THE DISTRICT OF KOSOVSKA MITROVICA.....	229
THE EFFECT OF CONSUMER ETHNOCENTRISM ON THE COMPETITIVENESS OF THE ECONOMY OF THE REPUBLIC OF SERBIA.....	232
THE ROLE OF SOCIALLY RESPONSIBLE BUSINESS IN IMPROVING THE COMPANY'S MARKET POSITIONING	236
CHEMOMETRIC APPROACH TO THE INVESTIGATION OF MICROELEMENTS AND POTENTIALLY TOXIC ELEMENTS IN THE SOIL.....	241
APPLICATION OF CHEMOMETRICS IN MONITORING OF SPATIAL AND TEMPORAL VARIATIONS IN RIVER WATER QUALITY AND WATER CLASSIFICATION	245
MECHANOCHEMISTRY: OPTIMIZATION OF THE SYNTHESIS OF DITHIOCARBAMATE DERIVATIVES.....	249
CAPACITIVE BEHAVIOUR OF BIOMASS-DERIVED ACTIVATED CARBON IN AL-ION-CONTAINING ELECTROLYTES	253
THE INTERDEPENDENCE OF STRUCTURAL PROPERTIES AND PSEUDOCAPACITIVE BEHAVIOR OF BIOMASS-DERIVED ACTIVATED CARBON	257
ELUCIDATING HEALTH-ENHANCING PROPERTIES OF NATURAL PRODUCTS: A JOURNEY FROM EXTRACT ISOLATION TO QUANTUM MECHANICS (QM) CALCULATIONS.....	261
A COMPUTATIONAL MODEL OF THE LEFT VENTRICLE – APPLICATION IN CARDIOMYOPATHY DISEASE	265
STATUS AND QUALITY OF LIFE OF PEOPLE WITH CELIAC AND PEOPLE ON A GLUTEN-FREE DIET	269
MODELING OF CIRCULATING TUMOR CELL (CTC) AND PLATELET INTERACTION IN CAPILLARIES.....	274
BIOINFORMATICS AND APPLIED BIOLOGY	279
ABUNDANCE, SPECIES RICHNESS AND DIVERSITY OF EARTHWORMS (LUMBRICIDAE) IN SEVERAL HABITATS OF THE NORTHERN PART OF JASTREBAC MOUNTAIN	280
A NEW RECORD OF <i>DENDROBAENA SERBICA</i> KARAMAN, 1973 (CLITELLATA; LUMBRICIDAE) FROM SERBIA.....	284
POTENTIALLY TOXIC ELEMENTS IN THE EDIBLE PART OF TROUT (<i>SALMO TRUTTA</i> L.) FROM THE UPPER REACHES OF THE RAŠKA AND STUDENICA RIVERS	288
DIET COMPOSITION AND FEEDING HABITS OF COMMON BLEAK (<i>ALBURNUS ALBURNUS</i> L.) IN THE GRUŽA AND GAZIVODE RESERVOIRS	292
IDENTIFICATION OF PROTEIN TARGET MOLECULES FOR [Pd(dach)Cl ₂] COMPLEX IN HeLa CERVICAL CARCINOMA CELLS	296
EDIBLE MUSHROOMS AS PROMISING ANTIOXIDANTS	300
ANTIMICROBIAL POTENTIAL OF MUSHROOMS <i>MACROLEPIOTA PROCERA</i> AND <i>CHLOROPHYLLUM RHACODES</i>	304
OBESITY AS A RISK FACTOR FOR COVID- 19 MORTALITY: AN OVERVIEW OF PUBLISHED META-ANALYSES	308
CLASSIFICATION AND ANALYSIS OF KEY PARAMETERS IN PREDICTING THE STATE OF FACULTATIVE OLIGOTROPHS IN TWO DIFFERENT RESERVOIRS	312

ECOLOGICAL APPLICATIONS BASED ON BACTERIAL COMMUNITY ABUNDANCE IN RESERVOIRS USING AN ARTIFICIAL NEURAL NETWORK APPROACH.....	317
OXIDATIVE DNA DAMAGE PREVENTIVE ACTIVITY OF ESSENTIAL OILS OF THREE <i>PINUS</i> SPECIES: <i>P. MUGO</i> , <i>P. SIBIRICA</i> , AND <i>P. SILVESTRE</i>	321
COMPARATIVE ASSESSMENT OF FISH DIVERSITY INDICES IN PROTECTED VLASINA RESERVOIR AND UNPROTECTED GRUŽA RESERVOIR	326
ASSESSMENT OF DIFFERENT MACHINE LEARNING TOOLS EMPLOYED IN LIPIDOMICS	330
SLIGHT COOLING DURING GROWTH INDUCED CHANGES IN FILAMENTOUS FUNGI HYPHA MITOCHONDRIAL MORPHOLOGY	334
STRUCTURAL SIMULATIONS PREDICTING PROTEIN FOLDING IN ALZHEIMER'S DISEASE	338
A MACHINE LEARNING APPROACH COMBINING OMICS DATA FOR ALZHEIMER'S DISEASE ANALYSIS	342
BIOMEDICAL ENGINEERING	346
NUMERICAL MODELING OF NEW 4,7-DIHYDROXYCOUMARIN DERIVATIVE DIFFUSION WITHIN FINITE ELEMENT LIVER MODEL.....	347
UV-BLOCKING SUSTAINABLE FOOD PACKAGING BASED ON POLYHYDROXYALKANOATE AND BACTERIAL PIGMENT PRODIGIOSIN	351
USING NUMERICAL MODELING TO ANALYZE THE BEHAVIOR OF CANCER CELLS AFTER DIVERSE CO-TREATMENTS.....	355
OVERVIEW OF LEFT VENTRICULAR SEGMENTATION IN ULTRASOUND IMAGES	359
FINITE ELEMENT ANALYSIS OF STRESS DISTRIBUTION IN 3D TOOTH MODEL WITH EXTENSIVE CAVITIES RESTORED WITH DIRECT AND INDIRECT COMPOSITE RESTORATION	363
MULTISCALE MODELLING OF THE EFFECTS OF TEMPERATURE ON CARDIAC TWITCHES	367
ANALYTICALLY COMPUTED FRACTIONAL FLOW RESERVE BASED ON CORONARY CT ANGIOGRAPHY.....	371
A FINITE ELEMENT MODEL FOR STRUCTURAL OPTIMIZATION OF PARAMETRIZED LATTICE SCAFFOLDS	375
APPLICATION OF MACHINE LEARNING ALGORITHMS IN MEDICAL DATA PROCESSING	379
BIOORGANIC, BIOINORGANIC AND MEDICINAL CHEMISTRY.....	382
STRUCTURAL, SPECTROSCOPIC, AND MOLECULAR DOCKING ANALYSIS OF ISOPROTERENOL	383
MOLECULAR DOCKING STUDY OF RUTHENIUM- <i>p</i> -CYMENE COMPLEXES WITH ISOTHIAZOLE DERIVATIVES AS SARS-COV-2 MAIN PROTEASE INHIBITORS	387
SYNTHESIS, SPECTROSCOPIC, AND QUANTUM-CHEMICAL ANALYSIS OF MONONUCLEAR Ru(II)-NAPHTHYLHYDRAZINE COMPLEX	391
SYNTHESIS, SPECTROSCOPIC, AND THEORETICAL ANALYSIS OF Ru(II)-PHENYLHYDRAZINE COMPLEX	395
DNA/BSA BINDING STUDY OF MONONUCLEAR GOLD(III) COMPLEXES WITH CLINICALLY USED AZOLES.....	399
DNA/BSA INTERACTION OF PLATINUM(II) COMPLEXES WITH PHENOTHIAZINE AND <i>N</i> -METHYLPHENOTHIAZINE	403
THE INTERACTION STUDIES OF NOVEL DIAMINOPHENAZINE GOLD(III) COMPLEX AND BOVINE SERUM ALBUMIN (BSA-IBUPROFEN AND BSA-EOZINE Y)	407
THE INFLUENCE OF STRUCTURAL MODIFICATION OF Pd(II) Pincer-TYPE COMPLEXES ON THE KINETICS OF SUBSTITUTION REACTIONS.	411
<i>IN VITRO</i> CYTOTOXIC ACTIVITY OF A MONOLACUNARY WELLS-DAWSON NANOCUSTER AGAINST CERVICAL CARCINOMA HeLa CELLS	415
THE INFLUENCE OF Fe(III) INCORPORATION ON ANTI-CANCER POTENTIAL OF A WELLS-DAWSON NANOCUSTER	419
DFT APPROACH OF THE REDOX PROPERTIES OF BRIMONIDINE AND VARENICLINE.....	423
THEORETICAL AND EXPERIMENTAL STUDY OF BILASTINE IONIZATION	427
NEW VANADIUM COMPLEXES WITH POTENTIAL BIOLOGICAL ACTIVITY.....	431
SYNTHESIS OF SCHIFF BASES BETWEEN SOME FIVE-MEMBERED HETEROCYCLIC ALDEHYDES AND THIOCARBOHYDRAZIDE (TCH) AND OPTIMIZATION OF REACTION CONDITIONS	435
SYNTHESIS, STRUCTURE AND ANTICANCER ACTIVITY OF Zr(IV) COMPLEXES WITH SCHIFF BASES DERIVED FROM 8-HYDROXYQUINOLINE	439
IONIC PALLADIUM(II) COMPLEXES WITH NITRO AND HALOGEN DERIVATIVES OF 8-HYDROXYQUINOLINE	443
A NOVEL SILVER COMPLEX WITH 4-HYDROXYCOUMARIN DERIVATIVE: SYNTHESIS, STRUCTURE, AND BIOLOGICAL ACTIVITY	447
ANTICANCER GALLIUM(III) COMPLEXES WITH HALOGEN- AND NITRODERIVATIVES OF 8-HYDROXYQUINOLINE.....	451
<i>IN SILICO</i> DRUG-LIKENESS, PHARMACOKINETIC AND OTHER ADME PROPERTIES OF 2-(AMINOMETHYL)CYCLOPROPANE-1,1-DICARBOXYLIC ACID.....	455
BSA BINDING OF 2-(AMINOMETHYL)CYCLOPROPANE-1,1-DICARBOXYLIC ACID	459
INVESTIGATION OF BINDING MODE OF NOVEL 2,4-DIKETO ESTERS TO BSA	463

SR FTIR SPECTROSCOPY INVESTIGATION OF Pd@S-CD NANOCOMPOSITE SYSTEM EFFECTS ON BIOMOLECULES IN CERVICAL CARCINOMA CELLS	467
THE EFFECTS OF A SELECTED METHOXY SUBSTITUTED CHALCONE IN HUMAN MELANOMA CELLS IRRADIATED WITH γ -RAYS	471
<i>IN SILICO</i> ESTIMATION OF COX-2 AND 5-LOX INHIBITORY POTENTIAL OF SOME NOVEL THIOUREA DERIVATIVES OF NAPROXEN	475
MOLECULAR DOCKING STUDY OF DESIGNED N-MYRISTOYL TRANSFERASE INHIBITORS.....	479
PLATINUM(II) COMPLEXES WITH EPOXIDE DERIVATIVE OF 1,10-PHENANTHROLINE IN INTERACTION WITH HUMAN SERUM ALBUMIN ..	483
ANALYTICAL VALUES OF BEESWAX FROM MONTENEGRO AND DETECTION OF ADULTERATION	487
PHENOLIC <i>N</i> -ACYL HYDRAZONE DERIVATIVES: <i>IN SILICO</i> ASSESSMENT OF POTENTIAL ANTIBACTERIAL ACTIVITY AGAINST SELECTED G ⁺ AND G ⁻ STRAINS	491
<i>IN SILICO</i> ANTIBIOFILM POTENCY OF PHENOLIC <i>N</i> -ACYL HYDRAZONES AGAINST SELECTED BACTERIAL STRAINS	495
TiO ₂ NANOPARTICLES AND TiO ₂ NANOPARTICLES SURFACE MODIFIED WITH SALICYLIC ACID AFFECT NEUROLOGICAL FUNCTIONS AND OXIDATIVE STRESS MARKERS IN THE EYES OF ADULT RATS	499
SYNTHESIS AND CYTOTOXIC ACTIVITY OF SELECTED DUAL COX-2 AND 5-LOX INHIBITORS IN HELA AND MIA PaCa-2 HUMAN CANCER CELL LINES	503
SYNTHESIS, CHARACTERIZATION AND HSA INTERACTIONS OF A NEW PIANO-STOOL RUTHENIUM(II) COMPLEX CONTAINING A THIOAMIDE-TYPE LIGAND	507
HPLC/UV PROFILE AND DETERMINATION OF TOTAL PHENOLIC AND FLAVONOID CONTENTS OF LICHEN <i>UMBILICARIA CRUSTULOSA</i> GROWING IN SERBIA	511
LICHENO-CHEMICAL ANALYSIS AND <i>IN VITRO</i> ANTIOXIDANT ACTIVITY OF EXTRACTS AND GYROPHORIC ACID FROM LICHEN <i>UMBILICARIA GRISEA</i>	515
BIOLOGICAL ACTIVITY OF THIENYL-TERPYRIDINE Ru(II) COMPLEX IN THE PRESENCE OF BIOCOMPATIBLE IONIC LIQUIDS	519
KINETIC STUDIES OF THE Ru(II) POLYPYRIDYL COMPLEX WITH BIOLOGICALLY RELEVANT LIGANDS	523
SYNTHESIS AND PHYSICO-CHEMICAL CHARACTERISATION OF THE Ni(II) COMPLEX WITH 3-(4-CHLOROPHENYL)-1H-PYRAZOLE LIGAND ..	527
NORMAL AND REVERSED PHASES THIN-LAYER CHROMATOGRAPHY OF ARYLIDENE 2-THIOHYDANTOIN DERIVATIVES	531
INVESTIGATION OF THE ANTICANCER ACTIVITY OF 2-AMINO-6-METHYLBENZOTHAZOLE AND CORRESPONDING Pd(II) COMPLEX USING MOLECULAR DOCKING SIMULATIONS	535
DNA BINDING AND MOLECULAR DOCKING OF FOUR PALLADIUM(II) COMPLEXES WITH <i>O,O'</i> -DIALKYL ESTERS OF (<i>S,S</i>)-PROPYLENEDIAMINE- <i>N,N'</i> -DI-2-(2-BENZYL) ACETIC ACID	539
MACRO AND MICROELEMENTS IN THE LEAF AND EXTRACT OF NETTLE FROM DIFFERENT LOCALITIES OF MONTENEGRO	543
SYNTHESIS AND ANTIOXIDANT ACTIVITY OF NOVEL VANILLIN-BASED FERROCENYL CHALCONES	547
A CONTRIBUTION TO THE KNOWLEDGE OF THE SPECIES <i>DIPSACUS SYLVESTRIS</i> HUDS.	551
QUALITATIVE CONTENT OF SELECTED PHENOLIC COMPOUNDS IN DIFFERENT EXTRACTS OF PLANT SPECIES <i>IRIS PUMILA</i> L.	555
BUILDING A 3D QSAR MODEL WITH ISOPROPYLIDENE ANALOGS OF CYTOTOXIC STYRYL-LACTONES	559
VALIDATION OF GRAVIMETRIC METHOD FOR DETERMINATION OF CLAY IN SOIL	563
PYRAZOLE/TACRINE DERIVATIVES AS POTENTIAL CHOLINESTERASE INHIBITORS.....	567
THE INFLUENCE OF THE METHANOL EXTRACT OF <i>GALIUM VERUM</i> ON CARDIAC OXIDATIVE DAMAGE IN HYPERTENSIVE RATS IN A MODEL OF GLOBAL ISCHEMIA	571
CAN A THREE-WEEK ADMINISTRATION OF METHANOL EXTRACT OF WILD GARLIC MODULATE SYSTEMIC REDOX STATE IN HYPERTENSIVE RATS?	575
CHEMOINFORMATICS, CHEMOGENOMICS AND MOLECULAR DESIGN	579
HIGH-THROUGHPUT SCREENING OF NOVEL HYDROGEN STORAGE MATERIALS – ML APPROACH	580
3D-QUANTITATIVE STRUCTURE-ACTIVITY RELATIONSHIP AND DESIGN OF NOVEL RHO-ASSOCIATED PROTEIN KINASES-1 (ROCK1) INHIBITORS	584
VIRTUAL DOCKING, DESIGN AND <i>IN SILICO</i> ADMET PROFILING OF NOVEL RHO-ASSOCIATED PROTEIN KINASES-1 (ROCK1) INHIBITORS	589
A METRIC FOR PAIRWISE SIMILARITY ANALYSIS OF BINARY CHEMINFORMATICS DATA	593
COUMARINS AS PROMISING PPAR α AGONISTS. NOVEL <i>IN SILICO</i> INSIGHTS	597
COMBINED <i>IN SILICO</i> APPROACH TO IDENTIFY NEW TERPENOID PPAR α AGONISTS.....	601

<i>IN SILICO</i> SCREENING OF <i>SOLANUM LYCOPERSICUM</i> CAROTENOIDS FROM CAROTENOIDS DATABASE FOR CANDIDATES PPARA AGONISTS	605
NUMERICAL SIMULATIONS OF THE OSCILLATORY DYNAMICS IN THE BRAY-LIEBHAFSKY REACTION PERTURBED BY L-TYROSINE.....	609
THE ASSESSMENT OF THE ANTIOXIDANT CAPACITY OF THE SELECTED VANILLIN-BASED PYRIDO-DIPYRIMIDINES USING DPPH ASSAY: <i>IN SILICO</i> APPROACH	613
INHIBITORY POTENTIAL OF BARBARIN AND ITS PLATINUM(II) COMPLEX TOWARDS PBP1A PROTEIN	617
MODELING ION- π INTERACTIONS OF TRANSITION METAL COMPLEXES	621
SUBSTITUENT EFFECTS ON STACKING INTERACTIONS OF AROMATIC LIGANDS IN ORGANOMETALLIC COMPOUNDS – CHEMOINFORMATICS AND QUANTUM CHEMICAL STUDY	625
COMPUTATIONAL STUDY ON THE INTERACTIONS OF QUERCETIN 3-O-RUTINOSIDE WITH HUMAN DPP III	629
NONCOVALENT INTERACTIONS OF HALOGEN ATOMS IN HALOGENATED BIPYRIDINES	633
REPULSIVE WATER-WATER CONTACTS FROM CAMBRIDGE STRUCTURAL DATABASE	637
COMPUTER-AIDED DESIGN OF NEW DRUGS AGAINST BREAST CANCER.....	641
STACKING INTERACTIONS AT LARGE HORIZONTAL DISPLACEMENTS—COMPARISON OF VARIOUS RING TYPES.....	645
INFLUENCE OF COORDINATION ON OH/ π AND NH/ π INTERACTIONS	649
RELATIVISTIC DFT CALCULATION AND THEIR EFFECT ON THE ACCURACY OF RESULTS	653
ANALYSIS OF PREDICTION OF WATER SOLUBILITY AND LIPOPHILICITY OF COUMARINS BY FREE CHEMINFORMATICS TOOLS	657
INFLUENCE OF PHTHALIMIDE SUBSTITUTION ON THE INTERACTION WITH CARBON NANOTUBE	662
INTERACTION ENERGY AND DECOMPOSITION OF INTERACTION ENERGY OF HALO-SUBSTITUTED PHTHALIMIDE WITH CARBON NANOTUBE	666
IDENTIFICATION OF SMALL MOLECULE BINDING SITES USING CMDOCK	670
A COMPREHENSIVE <i>IN SILICO</i> PROTOCOL FOR FAST AUTOMATED MUTAGENESIS AND BINDING AFFINITY SCORING OF PROTEIN-LIGAND COMPLEXES	674
WORKFLOW AUTOMATION OF HIGH-THROUGHPUT INVERSE DOCKING USING PHARMMAPPER	678
INVESTIGATING THE POTENTIAL INHIBITORY EFFECT OF THE MEGAPHONE (MOLECULE) ON NASOPHARYNGEAL CANCER GROWTH FACTOR RECEPTORS	682
GREEN SYNTHESIS OF CHROMENO-PYRIMIDINE DERIVATIVES – PART I.....	686
CHROMENO-PYRIMIDINE-TYPE COMPOUNDS (PART II): <i>IN VITRO</i> EVALUATION OF ANTIOXIDANT POTENTIAL	690

Biocorrosion, biofouling and health risk: biological activity reaction tests of selected brackish groundwater occurrences in Serbia

Vladimir Šaraba^{1*}, Jasmina Nikodinovic-Runic¹, Vesna Obradović², Ivica Dimkić³, Tamara Janakiev³, Veselin Dragišić⁴, Milica Ćirić¹

¹University of Belgrade, Institute of Molecular Genetics and Genetic Engineering, Laboratory for Molecular Genetics and Ecology of Microorganisms, Belgrade, Serbia; e-mail: vsaraba@imgge.bg.ac.rs, jasmina.nikodinovic@imgge.bg.ac.rs, milica.ciric@imgge.bg.ac.rs

²Jaroslav Černi Water Institute, Laboratory Jaroslav Černi, Belgrade, Serbia; e-mail: vesna.obradovic@jcerni.rs

³University of Belgrade, Faculty of Biology, Chair of Biochemistry and Molecular Biology, Belgrade, Serbia; e-mail: ivicad@bio.bg.ac.rs, tamara.janakiev@bio.bg.ac.rs

⁴University of Belgrade, Faculty of Mining and Geology, Department of Hydrogeology, Belgrade, Serbia, e-mail: veselin.dragisic@rgf.bg.ac.rs

* Corresponding author

DOI: 10.46793/ICCB23.086S

Abstract: Targeted physiological groups of bacteria were cultivated and identified in the brackish groundwaters of Obrenovačka Banja (OB), Lomnički Kiseljak (LK) and Velika Vrbnica (VV) using biological activity reaction tests (BARTs) to assess the biocorrosion, biofouling and health risks. The highest density of iron-related, sulfate-reducing, slime-forming, facultatively anaerobic heterotrophic, denitrifying bacteria and representatives of *Pseudomonas* spp. was recorded in the OB sample, while the lowest density of the same physiological groups of bacteria was recorded in the LK sample. Facultatively anaerobic heterotrophic bacteria were the most abundant in the OB and LK samples, while, in contrast, heterotrophic aerobic bacteria were the most abundant in the VV sample. All tested samples were characterized by a high degree of biochemical activity associated with iron-related, sulfate-reducing, slime-forming, heterotrophic aerobic and facultatively anaerobic bacteria. Also, high biochemical activity of denitrifying bacteria was recorded in the OB sample, and the same activity of *Pseudomonas* species was recorded in the OB and VV samples. For OB and LK groundwaters, the highest degree of risk was estimated for biocorrosion process, while for the OB and VV occurrences, the highest degree of risk was estimated for biofouling process. The health risk was present for all examined groundwaters. Caution is warranted in further use of all investigated occurrences due to the established public health risk and an immediate revitalization of the OB, LK and VV wells is necessary.

Keywords: brackish groundwaters, biological activity reaction tests, Serbia.

1. Introduction

Wells, like any other part of the plumbing system, require preventive maintenance treatments and appropriate periodic cleaning [1], taking into account that bacteria are ubiquitous in wells [2]. In order for groundwater to have a satisfactory qualitative status, it is of the highest importance to prevent the occurrence of biofouling of wells. The development of biofouling contributes to the reduction of well capacity [1] and it is reported in North America as the major, most costly factor in the deterioration of groundwater system characteristics [3, 4]. Also, biofouling can represent a

source of pathogenic bacteria that can cause water-borne infections [5]. With its further development, a microenvironment contributing to the progress of biocorrosive processes is formed [6]. About 20% of all corrosive processes in various branches of industry, including the water industry, are the result of bacteriological activity, which amounts every year to billions of dollars in the US [7] and to 30-50 billion dollars worldwide [8]. Three occurrences, which are used for health-and-recreation and drinking purposes, which belong to the group of brackish groundwaters [9] and are captured by wells with a depth of 6.5-442.5 m [10, 11], were selected for cultivation and identification of targeted physiological groups of bacteria that can contribute to the development of biocorrosion and biofouling processes and may pose a health risk for groundwater users. Although bacteriological contamination of LK groundwaters was previously confirmed [12], continuous monitoring of its bacterial diversity and prediction of the risk of aging for LK well is warranted.

2. Methods

Sampling of studied groundwaters and transport of the three samples, each collected from corresponding wells was carried out in accordance with SRPS EN ISO - 19458:2009 standards during January 2020. The presence of targeted physiological groups of bacteria was determined using Iron-Related Bacteria (IRB), Sulfate-Reducing Bacteria (SRB), Slime-Forming Bacteria (SLYM), Heterotrophic Aerobic Bacteria (HAB), Denitrifying Bacteria (DN) and Fluorescent *Pseudomonas* (FLOR) Biological Activity Reaction Tests (BARTs). Portions of well-mixed, undiluted groundwater samples (7.5 mL) were carefully transferred *via* flotation ball to the inner test vial of the different BART biotestors under sterile conditions and incubated at 22°C for a period of time standard for each type of BART test (5, 10 or up to 15 days). Protocols available from the manufacturer (DBI, Saskatchewan, Canada) were used. During the sample incubation period signature reactions of bacterial activity and their metabolic products were monitored daily (lag period) and photo-documented. Based on the time of occurrence of all recognized signature reactions in the applied BART system, the probable risks of biocorrosion, biofouling and public health risk were calculated using the BART-Soft v6 software and results were expressed as high, medium, and low aggressivity (HA, MA, and LA). For all examined occurrences, an assesment for each type of risk (biocorrosion, biofouling and health risk) was given numerically and it ranged from 0 (no risk) to 9 (maximum risk) [13].

3. Results and discussion

BART analysis recorded the highest bacterial density in the OB sample and the lowest in the LK sample. Facultatively anaerobic heterotrophic bacteria were the most abundant in the OB and LK samples, while heterotrophic aerobic bacteria were the most abundant in the VV sample. All examined occurrences exhibited a high degree of biochemical activity associated with iron-related, sulfate-reducing, slime-forming, heterotrophic aerobic and facultatively anaerobic bacteria, as well as the same degree of biochemical activity of denitrifying bacteria was recorded in the OB sample. It is important to note that high biochemical activity of fluorescent *Pseudomonas* species was recorded in the VV sample and the non-fluorescent pseudomonads, with the same degree of

biochemical activity, were detected in the OB sample. The calculated biocorrosion risk was highest for the OB and LK groundwaters, while the calculated biofouling risk was highest for the OB and VV occurrences. For all examined occurrences, health risk was present (**Table 1**).

Table 1. Density of populations of target physiological groups of bacteria in the studied groundwater occurrences.

Investigated groundwaters	Population estimate (CFU/mL)							Biocorrosion risk Biofouling risk Health risk
	IRB	SRB	SLYM	HAB	DN	FLOR	Total	
	Aggressivity							
Obrenovačka Banja	35.300	731.000	70.000	6.890.000	17.200	4.000**	7.747.500	8.1
	HA	HA	HA	HA	HA	HA		6.3 2.4
Lomnički Kiseljak	8.820	731.000	70.000	454.000	2.140	400*	1.266.360	8.1
	HA	HA	HA	HA	MA	MA		4.5 5.4
Velika Vrbnica	35.300	910	632.000	6.890.000	417	4.000*	7.562.627	5.4
	HA	HA	HA	HA	LA	HA		7.0 5.4

**P. aeruginosa* confirmed as a result of detection of signature reaction PB (Pale blue); **Non-fluorescent pseudomonads confirmed as a result of detection of signature reaction CL (Cloudy).

Based on the detected level of biochemical activity of iron-related, sulfate-reducing, slime-forming and heterotrophic aerobic bacteria, and taking into account the manufacturer's recommendations, revitalization of the OB, LK and VV wells is necessary in the shortest possible period. Due to the complexity of bacterial communities in groundwater and their tendency to grow in the form of biofilms, revitalization may include all or a combination of recommended treatments, such as the implementation of biocides, physical and chemical treatments [13]. According to the Rulebook on the quality and other requirements for natural mineral, spring, and table waters of Serbia [14], the presence of *P. aeruginosa* is not allowed. In contrast, the World Health Organization [15] and the United States Environmental Protection Agency [16] set no criteria for the acceptable level of *P. aeruginosa* in drinking water. *P. aeruginosa* does not pose a risk for gastrointestinal infections in the general human population using drinking water containing this bacteria. However, in vulnerable populations, e.g., patients with large wounds or burns, very young or elderly people, patients with acquired immunodeficiency syndrome (AIDS), or those undergoing immunosuppressive therapy, the presence of these bacteria in drinking or bathing groundwater may pose a health risk and may be associated with various infections of the ear, nose, throat, skin and the eye [15].

4. Conclusions

BARTs have a valuable place in informing water quality recommendations. Due to the established public health risk, caution is warranted in further use of the OB, LK and VV groundwaters. We recommend urgent revitalization of these wells, which will enable the

unhindered use of groundwater resources without negative indications on the service life of the wells and the health and safety of their users.

Acknowledgment

This research was funded by the Ministry of Education, Science and Technological Development of Republic of Serbia (Agreement Nos. 451-03-47/2023-01/200042 and 451-03-47/2023-01/200178).

References

- [1] N. Mansuy., *Water well rehabilitation: A practical guide to understanding well problems and solutions*, USA: CRC Press, (2017).
- [2] K.E. Murray, E.I. Manitou-Alvarez, E.C. Inniss, F.G. Healy, A.A. Bodour., *Assessment of oxidative and UV-C treatments for inactivating bacterial biofilms from groundwater wells*, *Frontiers of Environmental Science & Engineering*, 9 (2015), 39-49.
- [3] S.A. Smith., *Biofouling in Water Wells*, In: J.H. Lehr, J. Keeley., (Ed.), *Water Encyclopedia: Ground Water* (pp. 35-38), John Wiley & Sons, Inc., (2005).
- [4] V. Šaraba, V. Dragišić, T. Janakiev, V. Obradović, M. Čopić, B. Knežević, I. Dimkić., *Bacteriome composition analysis of selected mineral water occurrences in Serbia*, *Archives of Biological Sciences*, 74 (2022), 67-79.
- [5] L.C. Simões., *Biofilms in drinking water*, In: M. Simões, F. Mergulhão (Ed.), *Biofilms in Bioengineering* (pp. 157-189), USA, NY: Nova Science Publishers, Inc., (2013).
- [6] J. Liu., *Mechanism of biocorrosion caused by biofilms and its mitigation (Doctoral dissertation)*, USA: Ohio University, (2017).
- [7] W. Dou, D. Xu, T. Gu., *Biocorrosion caused by microbial biofilms is ubiquitous around us*. *Microbial Biotechnology*, 14 (2021), 803-805.
- [8] J. Guo, S. Yuan, W. Jiang, L. Lv, B. Liang, S.O. Pehkonen., *Polymers for combating biocorrosion*. *Frontiers in Materials*, 5 (2018), 10.
- [9] B. Filipović., *Mineralne, termalne i termomineralne vode Srbije*, Belgrade: University of Belgrade, Faculty of Mining and Geology, (2003).
- [10] D. Stojadinović, D. Isaković., *Uticaj klimatskih promena na temperaturni režim mineralne vode Lomničkog kiseljaka kod Kruševca*, In: S. Popović (Ed.), *Water for the 21st century*, Belgrade: Association for Water Technology and Sanitary Engineering (pp. 679-84), (1999).
- [11] I. Đinđić, D. Drašković, S. Špadijer, S. Drobac, T. Vinčić, Lj. Mrkonja., *Analysis of thermo-mineral water regime of „New Obrenovac Spa“ and possibility for the use of thermal water*, In: A. Vranješ (Ed.), *XVI Serbian Symposium on Hydrogeology* (pp. 171-7), Belgrade: University of Belgrade, Faculty of Mining and Geology, (2022).
- [12] D. Stojadinović, G. Rašula., *Sadašnje stanje u pogledu mogućnosti korišćenja mineralne vode Lomničkog kiseljaka kod Kruševca*, In: Z. Stevanović (Ed.), *100 years of hydrogeology in Yugoslavia*, Belgrade: University of Belgrade, Faculty of Mining and Geology (pp. 197-201), (1997).
- [13] Drycon Bioconcepts Inc (DBI), *Biological Activity Reaction Tests – BART™*, (2004). Available at: <http://www.dbi.ca/BARTs/PDFs/Manual.pdf>
- [14] Official Gazzete., *Rulebook on quality and other requirements for natural mineral water, natural spring water and table water 53/2005 and 43/2013*, (2005/2013). Available at: <http://www.pravno-informacioni-sistem.rs/SlGlasnikPortal/eli/rep/slscg/ministarstva/pravilnik/2005/53/1/reg>
- [15] World Health Organization (WHO)., *Guidelines for drinking-water quality (4th edition)*, Geneva, Switzerland: World Health Organization, 541 p., (2011).

[16] National Primary Drinking Water Regulations (NPDWR) – Microorganisms, Washington, D.C: United States Environmental Protection Agency. Available at: <https://www.epa.gov/ground-waterand-drinking-water/national-primary-drinking-waterregulations#Microorganisms>.