

ISSN 1821-1046

UDK 630

**INSTITUTE OF FORESTRY
BELGRADE**




**INSTITUT ZA ŠUMARSTVO
BEOGRAD**

SUSTAINABLE FORESTRY ODRŽIVO ŠUMARSTVO


**COLLECTION
Vol. 85-86**

**ZBORNİK RADOVA
Vol. 85-86**



**BELGRADE BEOGRAD
2022.**

ISSN 1821-1046



9 771821 104000

ISSN 1821-1046
UDK 630

**INSTITUTE OF FORESTRY
BELGRADE**



**INSTITUT ZA ŠUMARSTVO
BEOGRAD**

SUSTAINABLE FORESTRY

COLLECTION
Vol. 85-86

ODRŽIVO ŠUMARSTVO

ZBORNIK RADOVA
Vol. 85-86

BELGRADE BEOGRAD
2022.

**INSTITUTE OF FORESTRY
BELGRADE
COLLECTION OF PAPERS**

**INSTITUT ZA ŠUMARSTVO
BEOGRAD
ZBORNİK RADOVA**

Publisher	Izdavač
Institute of Forestry Belgrade, Serbia	Institut za šumarstvo Beograd, Srbija
For Publisher	Za izdavača
Ljubinko Rakonjac, Ph.D.	Dr Ljubinko Rakonjac
Editor-in-Chief	Glavni i odgovorni urednik
Tatjana Ćirković-Mitrović, Ph.D.	Dr Tatjana Ćirković-Mitrović

Editorial Board

Redakcioni odbor

Ljubinko Rakonjac, Ph.D.
Institute of Forestry, Belgrade, Serbia

Mara Tabaković-Tošić, Ph.D.
Institute of Forestry, Belgrade, Serbia

Biljana Nikolić, Ph.D.
Institute of Forestry, Belgrade, Serbia

Zoran Miletić, Ph.D.
Institute of Forestry, Belgrade, Serbia

Milorad Veselinović, Ph.D.
Institute of Forestry, Belgrade, Serbia

Aleksandar Lučić, Ph.D.
Institute of Forestry, Belgrade, Serbia

Vladan Popović, Ph.D.
Institute of Forestry, Belgrade, Serbia

Zlatan Radulović, Ph.D.
Institute of Forestry, Belgrade, Serbia

Ljiljana Brašanac-Bosanac, Ph.D.
Institute of Forestry, Belgrade, Serbia

Saša Eremija, Ph.D.
Institute of Forestry, Belgrade, Serbia

Miroslava Marković, Ph.D.
Institute of Forestry, Belgrade, Serbia

Sonja Braunović, Ph.D.
Institute of Forestry, Belgrade, Serbia

Đorđe Jović, Ph.D.
Institute of Forestry, Belgrade, Serbia

Katarina Mladenović, Ph.D.
Institute of Forestry, Belgrade, Serbia

Suzana Mitrović, Ph.D.
Institute of Forestry, Belgrade, Serbia

Snežana Stajić, Ph.D.
Institute of Forestry, Belgrade, Serbia

Nevena Čule, Ph.D.
Institute of Forestry, Belgrade, Serbia

Ilija Đorđević, Ph.D.
Institute of Forestry, Belgrade, Serbia

Goran Češljar, Ph.D.
Institute of Forestry, Belgrade, Serbia

Tomislav Stefanović, Ph.D.
Institute of Forestry, Belgrade, Serbia

Dr Ljubinko Rakonjac
Institut za šumarstvo, Beograd, Srbija

Dr Mara Tabaković-Tošić
Institut za šumarstvo, Beograd, Srbija

Dr Biljana Nikolić
Institut za šumarstvo, Beograd, Srbija

Dr Zoran Miletić
Institut za šumarstvo, Beograd, Srbija

Dr Milorad Veselinović
Institut za šumarstvo, Beograd, Srbija

Dr Aleksandar Lučić
Institut za šumarstvo, Beograd, Srbija

Dr Vladan Popović
Institut za šumarstvo, Beograd, Srbija

Dr Zlatan Radulović
Institut za šumarstvo, Beograd, Srbija

Dr Ljiljana Brašanac-Bosanac
Institut za šumarstvo, Beograd, Srbija

Dr Saša Eremija
Institut za šumarstvo, Beograd, Srbija

Dr Miroslava Marković
Institut za šumarstvo, Beograd, Srbija

Dr Sonja Braunović
Institut za šumarstvo, Beograd, Srbija

Dr Đorđe Jović
Institut za šumarstvo, Beograd, Srbija

Dr Katarina Mladenović
Institut za šumarstvo, Beograd, Srbija

Dr Suzana Mitrović
Institut za šumarstvo, Beograd, Srbija

Dr Snežana Stajić
Institut za šumarstvo, Beograd, Srbija

Dr Nevena Čule
Institut za šumarstvo, Beograd, Srbija

Ilija Đorđević, Ph.D.
Institute of Forestry, Belgrade, Serbia

Dr Goran Češljar
Institut za šumarstvo, Beograd, Srbija

Dr Tomislav Stefanović
Institut za šumarstvo, Beograd, Srbija

Zoran Poduška, Ph.D. Institute of Forestry, Belgrade, Serbia	Dr Zoran Poduška Institut za šumarstvo, Beograd, Srbija
Tatjana Ratknić, Ph.D. Institute of Forestry, Belgrade, Serbia	Dr Tatjana Ratknić Institut za šumarstvo, Beograd, Srbija
Filip Jovanović, Ph.D. Institute of Forestry, Belgrade, Serbia	Dr Filip Jovanović Institut za šumarstvo, Beograd, Srbija
Assoc. Prof. Iantcho Naidenov, Ph.D. Forest Protection Station, Sofia, Bulgaria	Assoc. Prof. Dr Iantcho Naidenov Forest Protection Station, Sofia, Bulgaria
Prof. dr Makedonka Stojanovska, Faculty of Forestry, Ss. Cyril and Methodius University in Skopje, N. Macedonia	Prof. dr Makedonka Stojanovska, Šumarski fakultet Univerzitet Sv. Ćirilija i Metodija u Skoplju, S. Makedonija
Dr Zuzana Sarvašová National Forest Centre – Forest Research Institute, Slovakia	Dr Zuzana Sarvašová National Forest Centre – Forest Research Institute, Slovakia
Dr Alessandro Paletto Council for Agricultural Research and Economics, Italy	Dr Alessandro Paletto Savet za poljoprivredna istraživanja i ekonomiju, Italija
Associate Professor dr Sonia Quiroga Department of Economics, University of Alcalá, Spain	Associate Professor dr Sonia Quiroga Katedra za ekonomiju, Univerzitet u Alkali, Španija
Prof. dr Marijana Kapović Solomun Faculty of Forestry, Banja Luka, Republic of Srpska, Bosnia and Herzegovina	Prof. dr Marijana Kapović Solomun Šumarski fakultet, Banja Luka, Republika Srpska, Bosna i Hercegovina
Prof. dr Dane Marčeta Faculty of Forestry, Banja Luka, Republic of Srpska, Bosnia and Herzegovina	Prof. dr Dane Marčeta Šumarski fakultet, Banja Luka, Republika Srpska, Bosna i Hercegovina
Prof. dr Nada Šumatić Faculty of Forestry, Banja Luka, Republic of Srpska, Bosnia and Herzegovina	Prof. dr Nada Šumatić Šumarski fakultet, Banja Luka, Republika Srpska, Bosna i Hercegovina
Dr.Sc. Mirza Dautbašić Faculty of Forestry, Sarajevo, Bosnia and Herzegovina	Dr Mirza Dautbašić Šumarski fakultet, Sarajevo, Bosna i Hercegovina
Dr. Sc. Muhamed Bajrić Faculty of Forestry, Sarajevo, Bosnia and Herzegovina	Dr Muhamed Bajrić Šumarski fakultet, Sarajevo, Bosna i Hercegovina
Dr. Sc. Alma Bogunić Hajrudinović Faculty of Forestry, Sarajevo, Bosnia and Herzegovina	Dr Alma Bogunić Hajrudinović Šumarski fakultet, Sarajevo, Bosna i Hercegovina
Doc.dr Milić Čurović Biotechnical Faculty, University of Montenegro, Montenegro	Doc. dr Milić Čurović Biotehnički fakultet, Univerzitet Crne Gore, Crna Gora
Assistant Professor dr Špela Pezdevšek Malovrh Biotechnical Faculty, University of Ljubljana, Ljubljana, Slovenia	Assistant Professor dr Špela Pezdevšek Malovrh Biotehnički fakultet, Univerzitet Ljubljana, Ljubljana, Slovenija
Dr Dijana Vuletić Croatian Forest Research Institute, Jastrebarsko, Croatia	Dr Dijana Vuletić Hrvatski šumarski institut, Jastrebarsko, Hrvatska

Technical Editor and Layout

Ljiljana Brašanac-Bosanac, Ph.D.

Tehnički urednik i prelom teksta

Dr Ljiljana Brašanac-Bosanac

Secretary

M.Sc. Natalija Momirović

Sekretar Zbornika

Mst. Natalija Momirović

Printed in

100 copies

Tiraž

100 primeraka

Printed by

Black and White
Belgrade

Štampa

Black and White
Beograd

All rights reserved. No part of this publication might be reproduced by any means: electronic, mechanical, copying or otherwise, without prior written permission of the publisher.

Belgrade, 2022

Preuzimanje članaka ili pojedinih delova ove publikacije u bilo kom obliku nije dozvoljeno bez odobrenja izdavača.

Beograd, 2022

Cover Page: Author of the Photos, B.Sc. Nenad Šurjanac
Locality: Stara Planina

Naslovna strana: Autor fotografije Nenad Šurjanac, dipl. inž.
Lokalitet: Stara planina

CONTENT SADRŽAJ

Vol. 85-86

*Ljiljana BRAŠANAC-BOSANAC, Tatjana ĆIRKOVIĆ-MITROVIĆ,
Nevena ČULE, Goran ČEŠLJAR, Saša EREMIJA, Ilija ĐORĐEVIĆ*
URBAN FORESTS AND CLIMATE CHANGE

1

*Marija S. MARKOVIĆ, Biljana M. NIKOLIĆ, Tatjana R. JAKŠIĆ,
Ljubinko B. RAKONJAC, Mirjana M. SMILJIĆ, Olivera M. PAPOVIĆ,
Vesna P. STANKOV JOVANOVIĆ*
**ACTIVITY OF ENZYME CATALASE IN PLANTS FROM METAL
TAILINGS OF LEAD-ZINC MINE "TREPČA"**

13

*Sanja JOVANOVIĆ, Ljubinko RAKONJAC, Aleksandar LUČIĆ,
Vladan POPOVIĆ*
**USE OF THE SPAD METER TO ESTIMATE CHLOROPHYLL CONTENT
IN DIFFERENT SESSILE OAK (*Quercus petraea* (Matt.) Liebl.)
PROVENANCES IN SERBIA**

25

*Suzana MITROVIĆ, Milorad VESELINOVIĆ, Nevena ČULE,
Goran ČEŠLJAR, Saša EREMIJA, Renata GAGIĆ-SERDAR, Snežana STAJIĆ*
**MORPHOMETRIC CHARACTERISTICS OF PAULOWNIA ELONGATA
S. Y. HU. AND PAULOWNIA FORTUNEI SEEM. HEMSL. LEAVES AND
FERTILISATION IN DIFFERENT SITES**

35

*Vladan POPOVIĆ, Aleksandar LUČIĆ, Sanja JOVANOVIĆ,
Ljubinko RAKONJAC*
**VARIABILITY OF CHARACTERISTICS OF SESSILE OAK (*Quercus
petraea* (Matt.) Liebl.) SEEDLINGS FROM THE AREA OF
OUTSTANDING NATURAL LANDSCAPE "AVALA"**

53

*Nevena ČULE, Aleksandar LUČIĆ, Marija NEŠIĆ, Ljiljana BRAŠANAC-
BOSANAC, Ivana BJEDOV, Suzana MITROVIĆ, Zorica SREDOJEVIĆ*
**REMOVAL OF ORGANIC MATTER IN FLOATING TREATMENT
WETLAND**

65

Nebojša TODOROVIĆ, Ivana ŽIVANOVIĆ, Dragica VILOTIĆ, Goran MILIĆ
**RADIAL VARIABILITY OF WOOD DENSITY AND FIBRE LENGTH IN
THE RED OAK TREES (*Quercus rubra* L.)**

75

*Ivana ŽIVANOVIĆ, Nenad ŠURJANAC, Filip JOVANOVIĆ, Ilija ĐORĐEVIĆ,
Goran ČEŠLJAR*

**TRANSVERSAL STRESS WAVE VELOCITY IN THE TREE OF
SERBIAN SPRUCE (*Picea omorika* (Pančić) Purkyně)**

87

*Snežana STAJIĆ, Vlado ČOKEŠA, Ljubinko RAKONJAC, Zoran MILETIĆ,
Saša EREMIJA, Tatjana ĆIRKOVIĆ-MITROVIĆ, Suzana MITROVIĆ*
**COMPARISON OF FLORISTIC COMPOSITION OF SUBMONTANE
BEECH FOREST AND ARTIFICIAL ESTABLISHED STANDS OF
NORWAY SPRUCE ON Mt. KOSMAJ**

97

*Zlatan RADULOVIĆ, Ivan MILENKOVIĆ, Aleksandar VEMIĆ,
Katarina MLADENOVIĆ*

**EFFECTS OF DIFFERENT MEDIA ON THE MYCELIAL GROWTH OF
Cryphonectria parasitica (Murrill) M.E. Barr**

107

*Marija MILOSAVLJEVIĆ, Mara TABAKOVIĆ-TOŠIĆ, Danilo FURTULA,
Miroslava MARKOVIĆ, Renata GAGIĆ-SERDAR, Natalija MOMIROVIĆ*
**THE EPIZOOTIC CASE CAUSED BY *Entomophthora muscae* (Cohn)
Fresen IN THE CZECH REPUBLIC**

119

*Tatjana ĆIRKOVIĆ-MITROVIĆ, Ljiljana BRAŠANAC-BOSANAC,
Sabahudin HADROVIĆ, Saša EREMIJA, Snežana STAJIĆ, Ilija ĐORĐEVIĆ,
Ljubinko RAKONJAC*

**AFFORESTATION IN THE REPUBLIC OF SERBIA: SCOPE AND
TRENDS FROM 2002 TO 2021**

127

*Branka PAVLOVIĆ, Violeta Babić, Vlado ČOKEŠA, Nikola MARTAĆ,
Branko KANJEVAC, Đorđe JOVIĆ*

**CHANGE IN THE GROWING STOCK CONDITION OF THE
MORAVIAN FOREST AREA AS A CONSEQUENCE OF ICE DISASTERS
IN THE WINTER 2014**

137

*Nikola MARTAĆ, Vlado ČOKEŠA, Snežana STAJIĆ, Danilo FURTULA,
Branka PAVLOVIĆ, Miloš RAČIĆ*

**CHARACTERISTICS OF STRUCTURE AND PRODUCTION IN
VINATOVAČA VIRGIN FOREST**

156

*Nenad ŠURJANAC, Vukašin MILČANOVIĆ, Siniša POLOVINA,
Jovana CVETKOVIĆ, Ivana ŽIVANOVIĆ*

**APPLICATION OF MULTISPECTRAL SENSOR IN QUANTIFICATION
OF SOIL PROTECTION COEFFICIENT (XA) IN EROSION POTENTIAL
METHOD**

169

*Jovana CVETKOVIĆ, Nikola ŽIVANOVIĆ, Vukašin RONČEVIĆ,
Grozdana GAJIĆ, Milan KABILJO*

**APPLICATION OF RETAINING STRUCTURES IN REHABILITATION
OF LANDSLIDE ON STOLICE – KRUPANJ REGIONAL ROAD**

183

*Goran ĐORĐEVIĆ, Mihailo RATKNIĆ, Ljubinko RAKONJAC,
Tatjana Dimitrijević*

**HEME OF ORGANISATION AND PROCEDURES IN THE ACTIONS OF
ENTITIES ON FOREST FIRE PROTECTION-PREVENTION AND
SUPPRESSION OF FOREST FIRES**

197

A GUIDE FOR WRITING RESEARCH PAPER

215

DOI: 10.5937/SustFor2285013M

Original scientific paper

ACTIVITY OF ENZYME CATALASE IN PLANTS FROM METAL TAILINGS OF LEAD-ZINC MINE "TREPČA"

Marija S. MARKOVIĆ¹, Biljana M. NIKOLIĆ², Tatjana R. JAKŠIĆ³, Ljubinko B. RAKONJAC², Mirjana M. SMILJIĆ³, Olivera M. PAPOVIĆ³,
Vesna P. STANKOV JOVANOVIĆ¹

Abstract *The environment of Northern Kosovo and Metohija has been remarkably influenced for a long time by the huge metallurgical complex "Trepča". The technological process of ore exploitation and processing in the Mining and Metallurgical Chemical Company "Trepča" has resulted in a large amount of discharged material, deposited on metal tailings that are mostly located in inappropriate areas, partially covered with vegetation, mostly consisted of several invasive plants. The activity of the enzyme catalase was investigated in plant species collected from abandoned metal tailings "Žitkovac" and compared with the same plant species from the environment from the vicinity of Niš city. Measurements of enzyme activity were carried out in the underground and above-ground parts of plant species *Artemisia vulgaris*, *Cichorium intybus*, *Erigeron canadensis*, *Robinia pseudacacia*, *Medicago sativa*, *Teucrium chamaedrys*, *Plantago lanceolata*, *Rumex acetosella*, *Tanacetum vulgare* and *Euphorbia cyparissias* using gasometric method. The results have indicated that an increase of catalase activity in tested plants from the metal tailings is possibly a consequence of stress caused by specific environmental conditions.*

Key words: catalase, metal tailings, plants, mine, Trepča.

¹Ph.D. Marija S. Marković, Senior Research Associate, Ph.D. Vesna P. Stankov Jovanović, Full Professor, University of Niš, Faculty of Sciences and Mathematics, Višegradska 33, P. O. Box 224, 18000 Niš, Serbia

²Ph.D. Biljana M. Nikolić, Principal Research Fellow, Ph.D. Ljubinko B. Rakonjac, Principal Research Fellow, Institute of Forestry, Kneza Višeslava 3, 11000 Belgrade, Serbia

³Ph.D. Tatjana R. Jakšić, Full Professor, B.Sc. Mirjana M. Smiljić, Ph.D. Student, PhD Olivera M. Papović, Assistant Professor, University of Priština in Kosovska Mitrovica, Faculty of Science and Mathematics, Lole Ribara 29, 38220 Kosovska Mitrovica, Serbia

Corresponding author: Ph.D. Biljana M. Nikolić, e-mail: smikitis2@gmail.com

AKTIVNOST ENZIMA KATALAZE U BILJKAMA SA METALNOG JALOVIŠTA RUDNIKA OLOVA I CINKA "TREPČA"

Izvod: Životna sredina Severnog Kosova i Metohije je dugo bila pod jakim uticajem ogromnog metalurškog kompleksa „Trepča“. Tehnološki proces eksploatacije i prerade rude u Rudarsko-Metalurško Hemijskom Kombinatoru „Trepča“, rezultirao je velikim količinama ispuštenog materijala, koji se taložio na metalnim jalovištima, koje se uglavnom nalaze na neprikladnim površinama, delimično su obrasle vegetacijom, i uglavnom su sastavljene od po nekoliko invazivnih biljaka. Ispitivana je aktivnost enzima katalaze kod biljnih vrsta sakupljenih sa napuštenog metalnog jalovišta „Žitkovac“ i upoređena sa istim biljnim vrstama iz okoline grada Niša. Merenja enzimske aktivnosti vršena su u podzemnim i nadzemnim delovima biljnih vrsta *Artemisia vulgaris*, *Cichorium intybus*, *Erigeron canadensis*, *Robinia pseudacacia*, *Medicago sativa*, *Teucrium chamaedrys*, *Plantago lanceolata*, *Rumex acetosella*, *Tanacetum vulgare* and *Euphorbia cyparissias* gasometrijskom metodom. Rezultati su pokazali da je izvesno povećanje aktivnosti katalaze u ispitivanim biljkama sa metalnog jalovišta verovatno posledica stresa izazvanog specifičnim uslovima sredine.

Ključne reči: katalaza, metalno jalovište, biljke, rudnik, Trepča.

1. INTRODUCTION

The territory of Kosovo and Metohija was an object of numerous studies as a region with extremely disturbed ecological conditions caused mainly by the work of the Mining and Metallurgical Chemical Company (MMCC) “Trepča” (Elezović and Elezović, 2010; Jablanović et al., 1985; Milentijević, 2005; Milentijević et al., 2016; Nedeljković and Milentijević, 2006; UNDP in Kosovo, 2011; Trajković, 1995; Trajković et al., 1998). In the period 1965-1985, the MMCC “Trepča” was one of the biggest producers of lead, zinc, silver and gold in Europe. With the mining capacity of up to 10.000 t of metal ores daily, this giant had produced around 120.000 t of raw lead, 100.000 t refined lead, 100 t of silver, 80.000 t electrolyte zinc, 140.000 t mineral fertilizers, 50.000 t super phosphate.

Although the Metallurgical complex stopped operating at full capacity in 1999, it has been having strong influence on air pollution and registered strong impact on living world (Jablanović et al., 1985; Trajković, 1995; Trajković et al., 1998). The dire legacy of flotation landfills has remained a serious source of pollutants after cessation of mining activities (Milentijević, 2005; Nedeljković and Milentijević, 2006; Elezović and Elezović, 2010; UNDP in Kosovo, 2011; Milentijević et al., 2016).

The technological process of ore exploitation and processing in “Trepča” have resulted in a large amount of discharged material and industrial wastes that remained after the process of extraction of mineral resources. This material was dumped in spoil heaps, mostly located in inappropriate areas (Figure 1). These facilities were without proper construction and monitoring system to keep track on the impacts on the surrounding ecosystems. They have caused an enormous pollution of the local area, including watercourses, rivers, air, and agricultural land

contamination. Flotation tailings “Žitkovac” that was our study area is one of these sites.

The environmental impact of mining waste deposits in the Northern Kosovo and Metohija was studied (Milentijević et al., 2016) and according to these results the tailings “Žitkovac” is the most problematic, covering 26 ha and containing about 3-8.5 million tonnes waste (Elezović and Elezović, 2010). The chemical composition of the tailings “Žitkovac” was investigated showing dominant presence of pyrite (FeS_2 , 31.4%), iron (Fe, 22.15%), sulfur (S, 8.2%), arsenic (As, 8.2%), zinc (Zn, 1.62%), manganese (Mn, 7%), lead (Pb, 0.48%) (Milentijević et al., 2010).

Plants that grow at contaminated areas have capacity to adapt to the extreme environmental conditions through changes in morphology and/or physiology. According to Nešić et al. (2005) enzyme catalase takes part in defence mechanism to protect plant from free radicals which are increasingly formed in stressfull conditions, such as exposure to pollution (Radotić and Dugić, 1999). Having in mind harmful effects of contaminated soils on human health, growing interest of scientists but also of the society is development of economically acceptable remediation technologies, including phytoremediation (Stojanović et al., 2010).

Biochemical and physiological changes appear before the morphological and are the first indicators of presence of pollutants in the environment. They are reflected in the higher concentration of certain biochemical parameters, i.e. enzymes, some amino-acids, organic acids, etc. By increasing or decreasing synthesis of certain physiologically active compounds, plants are trying to protect themselves and to survive under adverse conditions.

Biochemical and physiological changes in plants caused by the presence of pollutants are reflected in defense mechanisms that include increased antioxidant activity (Haraguchi et al., 1997) with participation of enzymes catalase and peroxidase. The substrate of both enzymes is hydrogen-peroxide, produced in different metabolic processes, as reduced form of oxygen, and it can cause several metabolic changes in the plant tissues (Markovic et al., 2015). Because of the high toxicity to living cells, its degradation to nontoxic forms is necessary (Nešić et al., 2005). Catalase breaks down toxic H_2O_2 into H_2O and molecular O_2 . This reaction is essential for plant life. The catalase further oxidizes toxic molecules which include phenol, formic acid, formaldehyde, and alcohol (Markovic et al., 2015). Catalase has an important role in plants defending processes from pollution through elimination of free radicals, which concentration has increased as a response to the presence of heavy metals as pollutants.

Contamination of soil with copper, nickel and other heavy metals had negative influence on the soil enzymes and on the test plants (Wyszkowska et al., 2005a, 2005b, 2008, 2009). The soil enzyme activity use as an indicator of changes in soil properties caused by environmental stress such as heavy metal pollution (Ciarkowska, 2015). Lin et al. (2015) discuss the effect of heavy metal stress on the antioxidant enzymes activities.

While effects of heavy metals on soil enzyme activity in numerous recent studies were observed (Chen et al., 2005; Wyszkowska et al., 2005a, 2008, 2009, 2015; Yang et al., 2006; Khan et al., 2007; Güsler and Erdoğan, 2007; Karaca et

al., 2010; Angelovičová et al., 2014), lesser investigations were conducted on enzyme activity in plants that grow on heavy metal contaminated soils (Assche and Clijsters, 1990; Clijsters et al., 1999).

The investigations of physiological changes (reflected in the activity of enzyme catalase (CAT; EC 1.11.1.6) in plants that grow in polluted environmental conditions on tailings and comparison to ones from unpolluted area were in the focus of the present study.

2. MATERIAL AND METHODS

2.1. Study area

The study area of the mining waste deposits “Žitkovac” is situated to the north of Kosovo and Metohija on the left bank of river Ibar, in the vicinity of village Žitkovac. Administratively it belongs to the municipality of Zvečan and Kosovska Mitrovica. The landfill was active in period from 1963 to 1974. Flotation tailings are transported from Zvečan, where processed lead and zinc ore from Stari Trg mine (Milentijević et al., 2016).

It has the typical continental climate with long and hot summers and cold winters. According to the meteorological station Kosovska Mitrovica, the average precipitation from 1991-2013 was 637 mm, and average annual temperature 10.3 °C. Mean wind velocity for Kosovska Mitrovica is 1.9 m/s, and the most frequent blowing direction is north with an average velocity of 2.3 m/s and northwesterly wind with an average velocity of 2.1 m/s (Radovanović et al., 2012).

The Ibar River’s alluvial plain is the landscape where the metal tailings is situated (Nikić, 2003). Tailing material of the study area shows permanent toxic pollution of water and agricultural land (Nedeljković and Milentijević, 2006).

2.2. Plant material

Enzyme activity assessment was carried out on the woody branches and leaves of invasive plant species *Robinia pseudoacacia* and on the underground and above-ground parts of other plants (*Artemisia vulgaris*, *Cichorium intybus*, *Erigeron canadensis*, *Medicago sativa*, *Teucrium chamaedrys*, *Plantago lanceolata*, *Rumex acetosella*, *Tanacetum vulgare* and *Euphorbia cyparissias*). The plant material was identified using the key for the regional flora (Josifović, 1970-1986; Velchev, 1982-1989) and the voucher specimens was deposited in the Herbarium Moesiacum Niš (HMN), Department of Biology and Ecology, Faculty of Science and Mathematics, University of Niš (Table 1).

Table 1. *Repository data of herbarium specimens of plants used in this study*

Inventory number	Plant species	Location	Habitat	Date
12495	<i>Artemisia vulgaris</i> L.	Žitkovac	metal tailings	27.9.2016.
12496	<i>Cichorium intybus</i> L.	Žitkovac	metal tailings	27.9.2016.
12500	<i>Erigeron canadensis</i> L.	Žitkovac	metal tailings	27.9.2016.
12509	<i>Robinia pseudacacia</i> L.	Žitkovac	metal tailings	27.9.2016.
12510	<i>Medicago sativa</i> L.	Žitkovac	metal tailings	27.9.2016.
12514	<i>Teucrium chamaedrys</i> L.	Žitkovac	metal tailings	27.9.2016.
12516	<i>Plantago lanceolata</i> L.	Žitkovac	metal tailings	27.9.2016.
12517	<i>Rumex acetosella</i> L.	Žitkovac	metal tailings	27.9.2016.
13114	<i>Tanacetum vulgare</i> L.	Niš	ruderal places	29.9.2016.
13115	<i>Euphorbia cyparissias</i> L.	Niš	ruderal places	29.9.2016.
16428	<i>Artemisia vulgaris</i> L.	Niš	ruderal places	29.9.2016.
16429	<i>Cichorium intybus</i> L.	Niš	ruderal places	29.9.2016.
16430	<i>Erigeron canadensis</i> L.	Niš	ruderal places	29.9.2016.
16431	<i>Robinia pseudacacia</i> L.	Niš	ruderal places	29.9.2016.
16432	<i>Medicago sativa</i> L.	Niš	ruderal places	29.9.2016.
16433	<i>Teucrium chamaedrys</i> L.	Niš	ruderal places	29.9.2016.
16434	<i>Plantago lanceolata</i> L.	Niš	ruderal places	29.9.2016.
16435	<i>Rumex acetosella</i> L.	Niš	ruderal places	29.9.2016.
16436	<i>Tanacetum vulgare</i> L.	Žitkovac	metal tailings	27.9.2016.
16437	<i>Euphorbia cyparissias</i> L.	Žitkovac	metal tailings	27.9.2016.

2.3. Methodology

The plant material was collected in the autumn from the metal tailings “Žitkovac“. The same plant species were collected from the uncontaminated area near city of Niš (eastern Serbia). They have served as the control plant group. Plant samples were put into liquid nitrogen in which they transported and then put into a freezer kept at -20°C where they were stored until the analysis. The underground and above-ground plant parts were separated before the analysis and cut into little pieces.

Catalase activity was measured using the gasometric method (Mosheva, 1982) and expressed as ml of O₂. Detailed description of the method is given in Markovic et al. (2015).

3. RESULTS AND DISCUSSION


Activity of enzyme catalase was measured in underground and above-ground plant parts from the spoil heaps and from the uncontaminated area which represent a control group. The results, given in *Figure 1*, show that catalase activity is mostly increased in the underground parts of the experimental samples from the tailings, compared to the control samples from the uncontaminated habitats. In

above-ground plant parts the activity of catalase is different in the experimental samples in comparison the control samples. These differences may be related to morphological, anatomical, and chemical structure of investigated plants which are probably genetically conditioned which had been confirmed in previous investigations (Nešić et al., 2005).

In the roots of *Erigeron canadensis* and *Medicago sativa*, and in woody branches of *Robinia pseudoacacia* from the metal tailings the activity of catalase is highest ($> 10 \text{ O}_2/\text{g}$ of fresh matter). In all other samples the catalase activity is lower ($< 10 \text{ O}_2/\text{g}$ of fresh matter).

It was noticed that the activity of catalase in the invasive species *Erigeron canadensis* is increased in the root of the experimental samples, compared to the control samples from the uncontaminated habitat, while the catalase activity in the above ground parts is decreased in experimental samples. The activity of catalase in the woody branches of the invasive species *Robinia pseudoacacia* is increased in the experimental samples in comparison the control samples, while the catalase activity in the leaves is decreased of the experimental samples. The results show a significant increase in catalase activity in the roots of invasive species *Erigeron canadensis* and woody branches of invasive species *Robinia pseudoacacia*. Increased catalase activity in underground parts of invasive plants is probably a consequence of stress caused by chemical changes in soil on the tailings (Jakšić et al., 2017).

Negruckaja and Ermukova (1990) found that the catalase activity in experimental intoxication increases only in young plants and does not change in plants which are premanently exposed to pollution. In contrast, studies of Trajković (1995) and Trajković et al. (1998) suggest an increase in catalase activity in some plants that are permanently exposed to pollution.



Graph 1. Activity of enzyme catalase [ml O₂/g of fresh matter] in plants on metal tailings and the uncontaminated area (control).

Legend: Tested plants: *Artemisia vulgaris* – A.v., *Cichorium intybus* – C.i., *Erigeron canadensis* – E.c., *Robinia pseudoacacia* – R.p., *Medicago sativa* – M.c., *Teucrium chamaedrys* – T.c., *Plantago lanceolata* – P.l., *Rumex acetosella* – R.a., *Tanacetum vulgare* – T.v., *Euphorbia cyparissias* – Eu.c. Plant parts: u – underground plant parts; a – above-ground plant parts; wb – woody branches; l – leaves

4. CONCLUSIONS

Plants growing at contaminated areas have capacity for adaptation to the environmental conditions through changes in physiology. In present study was noticed that the activity of catalase in underground parts is higher in all samples from the metal tailings, while in above-ground parts is different in comparison to the control samples. An increased catalase activity is a result of stress that is caused by chemical changes in the soil on tailings representing good metabolic way of detoxification, which belongs to the mechanisms of defence and acquiring resistance. The future investigations of biochemical and physiological changes in plants on metal tailings are necessary to better understand impact of soil contamination on mechanisms of acquiring resistance on polluted areas. Additional studies are also needed to determine the fate of various compounds in the plant metabolic cycle to ensure that plant droppings and products do not contribute toxic or harmful chemicals into the food chain.

REFERENCES

- Angelovičová, L., Lodenius, M., Tulisalo, E. and Fazekašová, D. (2014): Effect of heavy metals on soil enzyme activity at different field conditions in Middle Spis mining area (Slovakia). *Bulletin of Environmental Contamination and Toxicology* 93(6):670-675.
- Assche, F. Clijsters, C. (1990): Effects of metals on enzyme activity in plants. *Plant, Cell & Environment* 13(3):195-206.
- Chen, C., Liao, M. and Huang, C. (2005): Effect of combined pollution by heavy metals on soil enzymatic activities in areas polluted by tailings from Pb-Zn-Ag mine. *Journal of Environmental Sciences* 17(4):637-640.
- Ciarkowska, K. (2015): Enzyme activities in soils contaminated with heavy metals in varying degrees. In: Sherameti, I., Varma, A. (eds.) *Heavy Metal Contamination of Soils*. Soil Biology b 44. Springer, Cham.
- Clijsters, H., Cuyperus, A. and Vangronsveld, J. (1999): Physiological responses to heavy metals in higher plants; Defence against oxidative stress, *Zeitschrift für Naturforschung C*, 54(9-10):730–734.
- Elezović, N. and Elezović, Z. (2010): Rehabilitation of the flotation tailings "Žitkovac". In: *Proceedings of the 6th Regional Scientific Conference on the system of environmental management in the energy industry (ELEKTRAN)*. Zlatibor, Serbia. 280-284. [In Serbian].
- Güsler, F. and Erdoğan, A. (2007): The effects of heavy metal pollution on enzyme activities and basal soil respiration of roadside soils. *Environmental Monitoring and Assessment* 145(1-3):127-133.
- Haraguchi H.H., Ishikava H., Kubo I. (1997): Antioxidative action of diterpenoides from *Podocarpus nagi*. *Planta Medica* 63 (3):213-215.

- Jablanović, M., Hoxa, Y. and Filipović, R. (1985): Catalase activity in the plants exposed to contamination with heavy metals. *Acta Biol Med Exp.* 10:21.
- Jakšić, D.T., Smiljić, M.M., Stankov-Jovanović, P.V., Stamenković, M.S., Papović, M.O., Vasić, S.P. and Marković S.M. (2017): Activity of catalase in invasive plants from tailing pond of lead-zinc mine "Trepča". In: Trichkova, T., Tomov, R., Vladimirov, V., Kalcheva, H., Vanev, Y., Uludağ, A., Tyufekchieva, V. (eds.) Book of abstracts of the 7th ESENIAS Workshop with Scientific Conference, Networking and regional cooperation towards Invasive Alien Species Prevention and Management in Europe. Institute of Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences (IBERBAS); East and South European Network for Invasive Alien Species (ESENIAS). Sofia, Bulgaria. 102.
- Josifović, M. (ed.) (1970-1986): Flora of SR Serbia I-X. Serbian Academy of Sciences and Arts. Belgrade. [in Serbian].
- Karaca, A., Cetin, C. S., Turgay, C.O. and Kizilkaya, R. (2010): Effects of heavy metals on soil enzyme activities. In: Sherameti, I., Varma, A. (eds.). *Soil Heavy Metals*. Springer, Berlin, Heidelberg, 237-262.
- Khan, S., Cao, Q., Hesham, A., Xia, Y. and He, J. (2007): Soil enzymatic activities and microbial community structure with different application rates of Cd and Pb. *Journal of Environmental Sciences* 19(7):834-840.
- Lin, H., Peng, Y., Chen, J. and Liang, L. (2015): Effect of heavy metal stress on antioxidant enzymes. In: *Proceedings of the International Conference of Manufacturing Science and Engineering (ICMSE 2015)*. Guangzhou, China, 871-876.
- Markovic, S. M. Ilic, S. B., Miladinovic, L. D., Stamenkovic, M. S., Stankov-Jovanovic, P. V., Djelic, T. G. (2015): Activity of a catalase enzyme in plants from the burned areas of the Vidlic mountain beech forests. *Oxidation Communications* 38 (2):860-868.
- Milentijević, G. (2005): Groundwater of Northern Part of Kosovo and Metohija - exploitation and protection. PhD Thesis. Faculty of Mining and Geology, University of Belgrade. [in Serbian].
- Milentijević, G., Nedeljković, B., Ristović, I. (2010): Analysis of the impact of the MMCC "Trepča" on water pollution of the river Ibar with heavy metals in the area of Zvečan. In: Ristović, I. (ed.) *Proceedings of the Third International Symposium "Energy Mining ER 2010"*, Faculty of Mining and Geology, Banja Junaković, Apatin, Serbia, 141-147. [in Serbian].
- Milentijević, G., Nedeljković, B., Lekić, M., Nikić, Z., Ristović, I. and Djokić, J. (2016): Application of a method for intelligent multi-criteria, analysis of the environmental impact of tailing ponds in Northern Kosovo and Metohija. *Energies* 9 (11):935.
- Mosheva, L.V. (1982): Determination of the catalase activity in plant species. In: Grekova, N. N. (ed.). *Proceedings of the Workshop on Plant Physiology*. Koaos, Moscow. 134.
- Nedeljković, B. and Milentijević, G. (2006): Assessment of surface and groundwater vulnerability of Ibar River medium basin as a result of MMCC "Trepča" activities. *Underground Mining Engineering* 15:61-68. [in Serbian].

Negruckaja, G.M. and Ermukova, S. N. (1990): The influence of sulfur dioxide on certain physiological processes of ornamental plants. In: Proceedings of the Scientific Conference "Industrial botany: Status and perspectives of development". Kiev, 133-134. [in Russian].

Nešić, M., Trajković, R., Tošić, S. and Marković, M. (2005): The impact of air pollution on the activity of the enzyme catalase in underground and above-ground organs of medicinal plants from Pirot surrounding areas. In: Randelović, V. (ed.). Proceeding of the 8th Symposium on the Flora of Southeastern Serbia and Neighboring Regions, Niš, Department of Biology and Ecology, Faculty of Sciences and Mathematics, University of Niš and Biological Society dr "Sava Petrović" Niš, Serbia and Montenegro, 81-86. [in Serbian].

Nikić, Z. (2003): Hydrogeological analysis of the low flows formation and regionalization. Zadužbina Andrejević, Belgrade, Serbia.

Radotić, K. and Dugić, T. (1999): The nickel concentration influence on the peroxidase activity in the serpentine plant *Alyssum markgrafii* cultivated in medium. In: Proceedings of the 12th Symposium of the Yugoslav Society for Plant Physiology. Novi Sad, Serbia, 126. [in Serbian].

Radovanović, D., Srećković-Batočanin, D., Ivanović, R. and Valjarević, A. (2012): Influence of physical and geographical factors on the intensity of erosion in the River Basins of Kosovo and Metohija. Faculty of Science and Mathematics, University of Priština temporarily settled in Kosovska Mitrovica. Kosovska Mitrovica. [in Serbian].

UNDP in Kosovo (2011): United Nations Development Programme in Kosovo - Industrial waste management for Trepca enterprise, International Conference Report State of the Environment in the Mitrovicë/Mitrovica Region, Past, present and future, 19-20 September. Theme 1, 7-10.

Stojanović, M., Milojković, J., Stevanović, D., Adamović, M. and Ileš, D. (2010): Application of aluminosilicate raw materials for remediation of uranium contaminated land. In: Proceedings of 1st International Symposium MINING 2010, Modern Technologies in mining and Environmental Protection. Serbian Chamber of Commerce, Tara, 421-429.

Trajković, R. (1995): The impact of air pollution on some biochemical and physiological parameters in the plants from the industrial areas of Kosovska Mitrovica and Obilić. PhD. Thesis. Priština. Faculty of Science and Mathematics, University of Priština. [in Serbian].

Trajković, R., Jablanović, M. and Ilić, Z. (1998): Examination of some biochemical parameters in vegetable species grown in the surroundings of Kosovska Mitrovica. In: Stamenković, S. S. (ed.) Proceedings of 2nd Balcan Symposium on Field crops. Institute of Field and Vegetable Crops, Ecology & Physiology; Cultural Practices. Volume 2. Novi Sad, Yugoslavia, 173-177.

Yang, Z., Liu, S., Zheng, D. and Feng, S. (2006): Effects of cadmium, zinc and lead on soil enzyme activities. Journal of Environmental Sciences 18 (6):1135-1141.

Velchev, V. (ed.) (1982-1989). Flora of the Republic of Bulgaria I-X. Bulgarian Academy of Sciences. Sofia, Bulgaria. [in Bulgarian].

Wyszkowska, J., Kucharski, J. and Lajszner, W. (2005a): Effect of soil contamination with cooper on its enzymatic activity. Polish Journal of Environmental Studies 14 (5):119-124.

Wyszkowska, J., Kucharski, J. and Boros, E. (2005b): Biochemical properties of soil contaminated with nickel and other heavy metals. Journal of Elementology 10 (3):585-596.

Wyszkowska, J., Boros, E. and Kucharski, J. (2008): Enzymatic activity of nickel-contaminated soil. Journal of Elementology 13 (1):139-151.

Wyszkowska, J., Kucharski, M., Kucharski, J. and Borowik, A. (2009): Activity of dehydrogenase, catalase and urease in cooper polluted soil. Journal of Elementology 14 (3):605-617.

Wyszkowska, J., Komisarek, J. and Dłużewski, P. (2015): Effects of heavy metals on the activity of dehydrogenases, phosphatases and urease in naturally and artificially contaminated soils. Journal of Elementology 20 (3):743-756.

ACTIVITY OF ENZYME CATALASE IN PLANTS FROM METAL TAILINGS OF LEAD-ZINC MINE "TREPČA"

*Marija S. MARKOVIĆ, Biljana M. NIKOLIĆ, Tatjana R. JAKŠIĆ,
Ljubinko B. RAKONJAC, Mirjana M. SMILJIĆ, Olivera M. PAPOVIĆ,
Vesna P. STANKOV JOVANOVIĆ*

Summary

The territory of Kosovo and Metohija has been the subject of numerous studies as a region of extremely disturbed ecological conditions, mainly caused by the work of the Mining and Metallurgical Chemical Combine (RMHK) "Trepča". The technological process of ore exploitation and processing at RMHK "Trepča" has resulted in a great deal of industrial waste that remains after the extraction of mineral raw materials. This material is disposed of in waste dumps, mostly located in unsuitable areas. The facilities are without appropriate systems for monitoring the surrounding ecosystems. They have caused massive pollution of local areas, including waterways, rivers, air and agricultural land. One of these sites is the flotation tailings pond "Žitkovac", which is the area of our research.

Catalase activity was determined in the woody branches and leaves of the invasive plant species *Robinia pseudoacacia* and in the underground and aerial parts of other plants (*Artemisia vulgaris*, *Cichorium intybus*, *Erigeron canadensis*, *Medicago sativa*, *Teucrium chamaedrys*, *Plantago lanceolata*, *Rumex acetosella*, *Tanacetum vulgare* and *Euphorbia cyparissias*). The plant material was identified using keys in the Flora of Serbia, and specimens were deposited in the herbarium of the Department of Biology and Ecology of the Faculty of Science and Mathematics in Niš – Herbarium Moesiicum Niš (HMN).

Catalase activity was measured in the underground and aboveground parts of plants from the "Žitkovac" metal tailings pond and from an uncontaminated area in the vicinity of Niš, representing the control group of samples. The results showed that the activity of catalase was slightly increased in the underground parts of samples from the tailings pond compared to the control samples from unpolluted habitats. In the aerial parts of plants, catalase activity in the experimental samples differed from that in the control

samples. These differences may be related to the morphological, anatomical and chemical structure of the examined plants, which are probably genetically determined.

Plants growing in contaminated areas have the ability to adapt to environmental conditions through changes in their physiology. In this research, it was observed that catalase activity in the underground parts was higher in all samples from the metal tailings pond, while in the aboveground parts it was different compared to the control samples. The increased catalase activity is the result of stress caused by chemical changes in the soil at the tailings dump and is a metabolic pathway of detoxification, which is part of the defense mechanisms and acquisition of resistance. Future studies of biochemical and physiological changes in plants at metal tailings dumps are necessary to better understand the impact of soil contamination on resistance acquisition mechanisms in polluted areas.

AKTIVNOST ENZIMA KATALAZE U BILJKAMA SA METALNOG JALOVIŠTA RUDNIKA OLOVA I CINKA "TREPČA"

*Marija S. MARKOVIĆ, Biljana M. NIKOLIĆ, Tatjana R. JAKŠIĆ,
Ljubinko B. RAKONJAC, Mirjana M. SMILJIĆ, Olivera M. PAPOVIĆ,
Vesna P. STANKOV JOVANOVIĆ*

Rezime

Teritorija Kosova i Metohije bila je predmet brojnih proučavanja kao region sa izuzetno poremećenim ekološkim uslovima, uzrokovanim uglavnom radom Rudarsko-Metalurško Hemijskog Kombinata (RMHK) „Trepča”. Tehnološki proces eksploatacije i prerade rude u RMHK „Trepča“ rezultirao je velikom količinom industrijskog otpada, koji je zaostao nakon procesa vađenja mineralnih sirovina. Ovaj materijal je odložen na gomile otpada, uglavnom locirane na neprikladnim područjima. Ovi objekti su bili bez odgovarajućih sistema za praćenje na okolne ekosisteme. Oni su izazvali ogromno zagađenje lokalnih područja, uključujući vodotoke, reke, vazduh i zagađenje poljoprivrednog zemljišta. Jedno od ovih nalazišta je flotaciono jalovište „Žitkovac”, koja predstavlja naše područje istraživanja.

Aktivnost enzima katalaze određena je u drvenastim granama i listovima invazivne biljne vrste *Robinia pseudoacacia* i u podzemnim i nadzemnim delovima drugih biljaka (*Artemisia vulgaris*, *Cichorium intybus*, *Erigeron canadensis*, *Medicago sativa*, *Teucrium chamaedrys*, *Plantago lanceolata*, *Rumex acetosella*, *Tanacetum vulgare* i *Euphorbia cyparissias*). Biljni materijal je identifikovan pomoću ključeva u Flori Srbije, a herbarijumski primerici deponovani su u Herbariumu Departmana za biologiju i ekologiju Prirodno-matematičkog fakulteta u Nišu- *Herbarium Moesiicum Niš* (HMN).

Merena je aktivnost enzima katalaze u podzemnim i nadzemnim delovima biljaka sa metalnog jalovišta „Žitkovac” i sa nekontaminiranog područja u okolini Niša, koji predstavlja kontrolnu grupu uzoraka. Rezultati su pokazali da je aktivnost katalaze neznatno povećana u podzemnim delovima oglednih uzoraka iz jalovišta, u poređenju sa kontrolnim uzorcima sa nezagađenih staništa. U nadzemnim delovima biljaka aktivnost katalaze je drugačija u oglednim uzorcima u poređenju sa kontrolnim uzorcima. Ove razlike mogu biti povezane sa morfološkom, anatomskom i hemijskom strukturom ispitivanih biljaka, koje su verovatno genetski uslovljene.

Biljke koje rastu na kontaminiranim područjima imaju sposobnost prilagođavanja na uslove sredine kroz promene u fiziologiji. U ovom istraživanju uočeno je da je aktivnost katalaze u podzemnim delovima veća u svim uzorcima sa metalnog jalovišta, dok je u nadzemnim delovima različita u odnosu na kontrolne uzorke. Povećana aktivnost katalaze je rezultat stresa koji je uzrokovan hemijskim promenama u zemljištu na jalovištu, što

predstavlja metabolički način detoksikacije, koji spada u mehanizme odbrane i sticanja otpornosti. Buduća istraživanja biohemijskih i fizioloških promena u biljkama na metalnom jalovištu su neophodna da bi se bolje razumeo uticaj kontaminacije zemljišta na mehanizme sticanja otpornosti u zagađenim područjima.

CIP - Каталогизација у публикацији
Народна библиотека Србије, Београд

630

SUSTAINABLE Forestry : collection =
Održivo šumarstvo = zbornik radova /
editor-in-chief Tatjana Ćirković-Mitrović. -
2008, t. 57/58- . - Belgrade: Institute of
forestry, 2008- (Beograd : Black and
White). - 24 cm

Godišnje. - Je nastavak: Zbornik radova -
Institut za šumarstvo = ISSN 0354-1894
ISSN 1821-1046 = Sustainable Forestry
COBISS.SR-ID 157148172